the LAZEE series

QUASA has always been associated with high quality & reliable High Pressure Cleaners (HPC) **BUT** due to the Covid Pandemic & MCO, we have slowed the development of our HPC series, however we feel that the time is now ripe to re-launch new items for our loyal users albeit @ a better price, better specs despite the rising prices due to the commodity prices.

why LAZEE series ?

LAZEE here doesn't mean lazy…it only means **lazing series or sleeping or horizontal type of HPCs**. Usually the horizontal types are the heavier duty HPCs due to the bigger components ie, motor and pumps. Its made horizontal due to the weight and dimension of the components. We have long been supplying these HPCs to industries especially **Large Factories** and **Construction Sites** and **Car Wash Operators** due to the long usage time. Therefore, understanding the designs and components are paramount to selection of a proper & reliable series for use in these heavy industries.

We have added two new items to our **LAZEE** series due to the demand in **Small Medium Industries and Car Wash operators**. The **price is obviously the attraction** but essentially the use of high quality components ie., the motor and pump are the driving factors that paved the way for our introduction of **JHP-G0212** and **JHP-G4006.** These two units carry the components that made them classified as semi-professional units hence allowing users to use at least 4 hour continuously. Besides, the patented **Auto-Stop** feature and **Thermal Protector** allow the users unlimited possibilities as the motors and pumps are protected for mid to long term use.

PRESENTING



the LAZEE series

JHP-G0212 (002340212)

1700W SEMI-PRO 140 BAR (MAX) HPC (AUTO STOP)



- SEMI-PRO PUMP, DIY PRICE
- SELF-PRIMMING PUMP
- BUILT-IN THERMAL PROTECTORS
- PATENTED AUTO STOP SYSTEM
- 4 HOUR CONTINUOUS USE
- MID-VOLUME WATER FLOW
- ALL ACCESSORIES INCLUDED FOR IMMEDIATE USE

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Watt	1700 Watt	Auto	Stop Start
Voltage	240V/1 Ph/50hz	Hose Length	7m
Motor Type	Induction	Inlet	2m
Rated Pressure	70 Bar	AC Cable Length	5m
Max Pressure	140 Bar	G.Weight/N.Weight	25.5/27.0kg
Flow Rate	420 l/hr or 7.0 l/min	Measurement	H430xW345xL600mm
STANDARD ACCESSORIES	3-LAYER PVC HOSE	CS055 NYLON LANCE / WAND	2300 PSI THREADED SPRAY GUN

RRP (RM)	799.00

JHP-G4006(002344006)

2000W SEMI-PRO 120 BAR (MAX) HPC (AUTO STOP)



- SELF-PRIMMING PUMP
- TEMPERED SS PLUNGERS
- BUILT-IN THERMAL PROTECTORS
- PATENTED AUTO STOP SYSTEM
- 8 HOUR CONTINOUS USE
- HIGH WATER FLOW SPECIALLY FOR CAR WASH CENTRES
- ALL ACCESSORIES INCLUDED FOR IMMEDIATE USE

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Watt	2000 Watt	Auto	Stop Start
Voltage	240V/1 Ph/50hz	Hose Length	8m
Motor Type	Induction	Inlet	2m
Rated Pressure	90 Bar	AC Cable Length	5m
Max Pressure	120 Bar	G.Weight/N.Weight	38.0/36.0kg
Flow Rate	600 l/hr or 10.0 l/min	Measurement	H520xW440xL680mm
STANDARD ACCESSORIES	STEEL WIRED CANVAS HOSE	SS LANCE WITH 3 IN 1 NOZZLE	5000 PSI REAR ENTRY THREADED SPRAY GUN

RRP (RM)	1,090.00

JHP-X2016(002342016)

2500W PROFESSIONAL 110 BAR HPC (AUTO STOP)



- **TEMPERED SS PLUNGERS**
- **BUILT-IN THERMAL PROTECTORS**
- **LONG METAL SPRAY GUN**
- **WHEELS FOR EASY MOVEMENT**
- **LONG USAGE TIME OF UP TO 8 HOURS CONTINOUSLY**
- **HIGH WATER FLOW SPECIALLY FOR CAR WASH CENTRES**
- **ALL ACCESSORIES INCLUDED FOR IMMEDIATE USE**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Watt	2500 Watt	**Hose Length**	10m
Voltage	240V/1 Ph/50hz	**Inlet**	3m
Motor Type	Induction	**AC Cable Length**	5m
Max Pressure	110 Bar	**G.Weight/N.Weight**	33.2 kg
Flow Rate	720 l/hr or 12.0 l/min	**Measurement**	mm
Auto	Stop Start		

RRP (RM)	1390.00

JHP-T6018(002346018)

3700W PROFESSIONAL 180 BAR HPC (AUTO STOP)



- TEMPERED SS PLUNGERS
- BUILT-IN THERMAL PROTECTORS
- LONG METAL SPRAY GUN
- WHEELS FOR EASY MOVEMENT
- LONG USAGE TIME OF UP TO 8 HOURS CONTINOUSLY
- HIGH WATER FLOW SPECIALLY FOR CAR WASH CENTRES & PAINTERS
- ALL ACCESSORIES INCLUDED FOR IMMEDIATE USE

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Watt	3700 Watt	**Hose Length**	10m
Voltage	240V/1 Ph/50hz	**Inlet**	3m
Motor Type	Induction	**AC Cable Length**	5m
Max Pressure	180 Bar	**N.Weight**	37.0 kg
Flow Rate	780 l/hr or 13.0 l/min	**Measurement**	mm
Auto	Stop Start		

RRP (RM)	2790.00