FOR USERS SENSITIVE ON PRICE YET WITH QUALITY ASSURANCE. 3 MONTHS WARRANTY. IDEAL FOR SMALL MEDIUM CONTRACTORS & DIYers.

POWER WITHIN YOUR REACH

UNTUK PENGGUNA PEKA KEPADA HARGA NAMUN DENGAN KUALITI TERJAMIN. JAMINAN 3 BULAN. SESUAI UNTUK KONTRAKTOR KECIL SEDERHANA & DIYers.

KUASA DALAM JANGKAUAN ANDA



UPDATED 0122

TOP SELLERS

POWERTOOLS

ALAT² KUASA

PALING LARIS

UPDATED 0122



Q3D-1218D	201081218
RATED VOLT	12.0V
MAX CHUCK	10mm
MAX SCREW	M8-7mm
MAX TORQUE	23Nm
SPEED	2-Speed 18 Steps
CHARGER	60mins
BATTERY	1.3Ah x 2
WEIGHT	1.2kg

12V 2-SPEED C/L DRILL

RRP : RM99.00

Q3D-1225K	201081225
RATED VOLT	12.0V
MAX CHUCK	10mm
MAX SCREW	M8-7mm
MAX TORQUE	25Nm
SPEED	2-Speed 25 Steps
CHARGER	60mins
BATTERY	1.3Ah x 2
WEIGHT	1.2kg





12V C/L DRILL+46PCS ACCS

RRP : RM189.00



Q3H-26SRE	2013126RE
POWER	800W
STEEL/CONC/WOOD	13 / 26 / 30mm
OPTIMUM DRILLING	6-18mm
NO LOAD SPEED	0-870rpm
IMPACT RATING	0-4800bpm
IMPACT ENERGY	2.6 joule
AC CORD	2.5m
WEIGHT	3.0kg

26MM ROTARY HAMMER

RM199.00*



Q3H-28SRE	2013128RE
POWER	820W
STEEL/CONC/WOOD	13 / 28 / 30 mm
NO LOAD SPEED	0-1100rpm
IMPACT RATING	0-4000bpm
IMPACT ENERGY	3.0 joule
AC CORD	2.5m
WEIGHT	3.2kg

28MM ROTARY HAMMER

RRP : RM229.00*

Q3C-20355	201332933
POWER	2000W
AC	240V/50Hz/1pH
BLADE DIAMETER	355mm
MAX CUTTING	110mm @ 90°
NO LOAD	4000rpm
AC CORD	3.0m
WEIGHT	11.2kg



14” MID DUTY CUT-OFF

RRP : RM299.00

BENCHMARK SERIES

CORDED

POWER TOOLS

ALAT² KUASA

BERKORD

SIRI BENCHMARK

UPDATED 0122



Q3P-G100B	20140100B
WATT	710W
VOLTAGE	240V/50HZ
NO LOAD SPEED	11,000rpm
DIAMETER	100/115mm
AC CORD	2.5m
WEIGHT	

710W 4” GRINDER (B)

RRP : RM79.00

Q3P-G100H	20140100H
WATT	710W
VOLTAGE	240V/50HZ
NO LOAD SPEED	11,000rpm
DIAMETER	100/115mm
AC CORD	2.5m



710W 4” GRINDER (M)

RRP : RM89.00



Q3P-G180A	20140180A
WATT	2000W
VOLTAGE	240V/50HZ
NO LOAD SPEED	6,600rpm
DIAMETER	180/230mm
AC CORD	2.5m

2000W 7” GRINDER

RRP : RM299.00



Q3P-SG150	20140SG15
WATT	1020W
VOLTAGE	240V/50HZ
NO LOAD SPEED	5,000rpm
DIAMETER	125/150mm
AC CORD	2.5m

1020W STRAIGHT GRINDER

RRP : RM179.00

Q3P-EP180	20140P180
WATT	1200W
VOLTAGE	240V/50HZ
NO LOAD SPEED	690~3800rpm
DIAMETER	180mm
AC CORD	2.5m



1200W 7” POLISHER

RRP : RM179.00



Q3P-DM100B	20140DM10
WATT	500W
VOLTAGE	240V/50HZ
NO LOAD SPEED	0~2,600rpm
DIAMETER	10mm-STEEL
DIAMETER	25mm-WOOD
AC CORD	2.5m
WEIGHT	

500W 10MM DRILL

RRP : RM79.00



Q3P-DM13E	20140DM13
WATT	750W
VOLTAGE	240V/50HZ
NO LOAD SPEED	0~3,000rpm
DIAMETER	13mm-STEEL
DIAMETER	25mm-WOOD
AC CORD	2.5m
WEIGHT	

750W 13MM IMP DRILL

RRP : RM99.00

Q3P-DM13D	20140DM13
WATT	750W
VOLTAGE	240V/50HZ
NO LOAD SPEED	0~3,000rpm
DIAMETER	13mm-STEEL
DIAMETER	25mm-WOOD
AC CORD	2.5m
WEIGHT	



750W 13MM IMP DRILL

RRP : RM119.00



Q3P-EM16B	20140M16B
WATT	1,020W
VOLTAGE	240V/50HZ
NO LOAD SPEED	780rpm
DIAMETER	160mm
AC CORD	2.5m
WEIGHT	

1020W PAINT STIRRER

RRP : RM159.00



Q3P-EM16D	20140M16D
WATT	1,020W
VOLTAGE	240V/50HZ
NO LOAD SPEED	780rpm
DIAMETER	160mm
AC CORD	2.5m
WEIGHT	

1200W PAINT STIRRER

RRP : RM299.00

Q3P-RH26B	20140DM26
WATT	900W
VOLTAGE	240V/50HZ
IMPACT RATE	2900bpm
AC CORD	2.5m
WEIGHT	

900W 4KG DEM HAMMER

RRP : RM199.00



Q3P-DH810	20140H810
WATT	900W
VOLTAGE	240V/50HZ
IMPACT RATE	2900bpm
IMPACT ENERGY	5 Joule
AC CORD	2.5m
WEIGHT	6.3kg

900W 5KG DEM HAMMER

RRP : RM229.00*

Q3P-DH845	20140H845
WATT	900W
VOLTAGE	240V/50HZ
IMPACT RATE	2900bpm
AC CORD	2.5m
WEIGHT	

900W 4KG DEM HAMMER

RRP : RM299.00

Q3P-DH65A	20140H65A
WATT	1500W
VOLTAGE	240V/50HZ
NO LOAD SPEED	1400bpm
AC CORD	2.5m



1500W 15KG HAMMER

RRP : RM499.00



Q3P-T3703	201403703
WATT	400W
VOLTAGE	240V/50HZ
NO LOAD SPEED	30000rpm
MAX MILLING DIA	6.35m
AC CORD	2.5m

400W WOOD TRIMMER

RRP : RM99.00



Q3P-C110B	20140110B
WATT	1240W
VOLTAGE	240V/50HZ
NO LOAD SPEED	13000rpm
BLADE SIZE	110mm
CUTTING DEPTH	30mm
AC CORD	2.5m
WEIGHT	

1240W TILE CUTTER

RRP : RM119.00

Q3P-CS185	20140185B
WATT	1100W
VOLTAGE	240V/50HZ
NO LOAD SPEED	5600rpm
BLADE SIZE	185mm
CUTTING DEPTH	64mm
MAX ANGLE	45°
AC CORD	2.5m
WEIGHT	



1100W 7 1/4” CIRC SAW

RRP : RM179.00



Q3P-CS235	20140235A
WATT	1520W
VOLTAGE	240V/50HZ
NO LOAD SPEED	4100rpm
BLADE SIZE	235mm
CUTTING DEPTH	84mm
MAX ANGLE	45°
AC CORD	2.5m
WEIGHT	

1520W 9” CIRCULAR SAW

RRP : RM299.00



Q3P-EB60B	20140B60B
WATT	600W
VOLTAGE	240V/50HZ
NO LOAD SPEED	8000~15000rpm
AIRFLOW	1.6-2.8m³/min
AC CORD	2.5m
WEIGHT	

600W AIR BLOWER

RRP : RM89.00

Q3P-C355A	20140355A
WATT	2200W
VOLTAGE	240V/50HZ
NO LOAD SPEED	3800rpm
BLADE SIZE	355mm
AC CORD	2.5m
WEIGHT	



2200W 14” CUT-OFF SAW

RRP : RM319.00



Q3P-C355B	20140355B
WATT	2400W
VOLTAGE	240V/50HZ
NO LOAD SPEED	3800rpm
BLADE SIZE	355mm
AC CORD	2.5m
WEIGHT	

2400W 14” CUT-OFF SAW

RRP : RM349.00

BENCHMARK SERIES

CORDLESS POWERTOOLS

ALAT² KUASA TANPA KORD

SIRI BENCHMARK

UPDATED 0122



Q3P-CD12A	20140D12A
RATED VOLT	12.0V
MAX CHUCK	10mm
MAX SCREW	7mm
NO LOAD SPEED	0-600rpm
MAX -STEEL/WOOD	10 / 20 mm
SOFT/HARD JOINT	12 / 20 Nm
CHARGER	120mins
BATTERY	1.3Ah(3C) x 2
WEIGHT	1.0kg

12V 1-SPEED C/L DRILL

RRP : RM79.00

Q3P-DCD12	20140D12B
RATED VOLT	12.0V
MAX CHUCK	10mm
MAX SCREW	7mm
NO LOAD SPEED	0-350/0-1350rpm
MAX -STEEL/WOOD	10 / 25mm
SOFT/HARD JOINT	14 / 28 Nm
CHARGER	120mins
BATTERY	1.3Ah(3C) x 2
WEIGHT	1.0kg



12V 2-SPEED C/L DRILL

RRP : RM99.00



Q3P-CD12C	20140D12C
RATED VOLT	12.0V
MAX CHUCK	10mm
MAX SCREW	7mm
NO LOAD SPEED	0-350/1300rpm
MAX -STEEL/WOOD	10 / 21mm
SOFT/HARD JOINT	14 / 24 Nm
CHARGER	120mins
BATTERY	1.3Ah(3C) x 2
WEIGHT	1.0kg

12V 2-SPEED C/L DRILL

RM99.00



Q3P-BCD12	20140B12F
RATED VOLT	
MAX CHUCK	
MAX SCREW	
NO LOAD SPEED	
MAX -STEEL/WOOD	
SOFT/HARD JOINT	
CHARGER	
BATTERY	
WEIGHT	

12V 2-SPEED C/L DRILL

RRP : RM99.00

Q3P-12VID	20140ID12
RATED VOLT	12.0V
MAX CHUCK	10mm
MAX SCREW	7mm
NO LOAD SPEED	0-350/1350rpm
MAX -STEEL/WOOD	10 / 25mm
SOFT/HARD JOINT	16 / 30 Nm
CHARGER	120mins
BATTERY	1.3Ah(3C) x 2
WEIGHT	1.2kg



12V 2-SPEED C/L IM DRILL

RRP : RM149.00



3P-HT901	20140T901
RATED VOLT	12V
MOTOR POWER	460W
CUTTING DIAMETER	10” OR 250mm
NO LOAD SPEED	10000rpm
CHARGER	120mins
BATTERY	1.3Ah x 2pcs
GROSS WEIGHT	1.6kg

12V 460W C/L TRIMMER

INDENT - DIY COMBO ONLY

VALUE PACK

PEK NILAI

UPDATED 0122

Q3P-12TDC (2014012TD)–DIY COMBO

12.0V 460W (LIGHT WEIGHT) CORDLESS GRASS TRIMMER + 12.0V 2-SPEED LI-ION CORDLESS DRILL



- **COMPLETE ACCESSORIES: 2 x 12V Li-ION BATTERIES, 1 x CHARGER, 5 x PLASTIC TRIMMER BLADE, 2 x STEEL TRIMMER BLADE;**
- **ADJUSTABLE TELESCOPIC ROD WITH AUXILIARY HANDLE;**
- **ADJUSTABLE HEAD FOR RIGHT CUTTING ANGLE;**
- **IDEAL FOR SMALL MEDIUM HOME USE;**

SPECIFICATIONS :

12V TRIMMER	Q3P-HT901 (20140T901)	12V 2-SPEED DRILL	Q3P-CD12C (20140D12C)
Rated Volt	12.0 Volt	Rated Volt	12.0 Volt
Motor Power	460 Watt	Max Chuck (mm)	10
No Load Speed	10000 rpm	Max Screw Φ (mm)	7
Cutting Diameter	10” or 250 mm	No Load Speed	0-350/0-1300 rpm
Sound Level	Not exceeding 92 dB(A)	Max Torque (Nm)	14(soft joint), 24 (hard joint)
Net Weight	1.6kg (with Battery & Steel Trimmer)	Drill Capacity Φ (mm)	10 (steel), 21(wood)
BATTERIES			
Battery(ies)	1.3Ah(5c) x 2		
Charger	14.4V (120 Mins)		
No Load Time	60 Mins		
Normal Load	20 Mins (Trimmer)		
Normal Load	50 Mins (Drill Driver)		

R.R.P. (RM)	199.00

Q3P-TS12A (2014012AS)

12.0V 2-SPEED CORDLESS DRILL WITH KIT (28 PIECES ACCESSORIES)



- **LOW & MEDIUM DUTY**
- **BMC WITH 28 PIECES ACCESSORIES**
- **2 SPEED TORQUE @ 20Nm**
- **3 MONTH WARRANTY**
- **LED LIGHT**

SPECIFICATIONS :

SPECIFICATIONS		SPECIFICATIONS	
Rated Volt	12.0 Volt	**Battery**	1.3Ah **(3C)** x 2
Max Chuck	10mm(STEEL) 20mm(WOOD)	**Charger**	14.4V / 120 mins
Max Screw Ø	M8 Ø7	**Accessories**	28 Pieces
Max Torque	12Nm (SOFT JOINT)	**Blow Mould Case**	1 Piece
	20Nm (HARD JOINT)	**Led Light**	Yes
No Load Speed	0-600 rpm	**Net Weight**	1.2kg
Speed	1-Speed		

RRP (RM)	99.00

Q3P-TS12F (2014012FS)

12.0V 2-SPEED CORDLESS IMPACT DRILL WITH KIT (28 PIECES ACCESSORIES)



- **LOW & MEDIUM DUTY**
- **BMC WITH 28 PIECES ACCESSORIES**
- **2 SPEED TORQUE @ 25Nm**
- **3 MONTH WARRANTY**
- **LED LIGHT**

SPECIFICATIONS :

SPECIFICATIONS		SPECIFICATIONS	
Rated Volt	12.0 Volt	**Battery**	1.3Ah(3C) x 2
Max Chuck	10mm**(STEEL)**,25mm**(WOOD)**	**Charger**	14.4V / 120 mins
Max Screw Ø	M8 Ø7mm	**Accessories**	28 Pieces
Max Torque	16Nm **(SOFT JOINT)**	**Blow Mould Case**	1 Piece
	30Nm **(HARD JOINT)**	**Led Light**	Yes
No Load Speed	0-350 / 0-1350 rpm	**Weight**	1.2kg
Speed	2 Speed		

RRP (RM)	139.00*



20V 2-SPEED C/L DRILL

RRP : RM159.00

Q3P-CD20A	20140D20A
RATED VOLT	20.0V
MAX CHUCK	10mm
MAX SCREW	7mm
NO LOAD SPEED	0-400/1400rpm
MAX -STEEL/WOOD	15 / 30mm
SOFT/HARD JOINT	28 / 48 Nm
CHARGER	90mins
BATTERY	1.5Ah x 2
WEIGHT	

Q3P-ID20C	20140D20C
RATED VOLT	20.0V
MAX CHUCK	10mm
MAX SCREW	7mm
NO LOAD SPEED	0-400/1400rpm
MAX -STEEL/WOOD	15 / 30mm
SOFT/HARD JOINT	28 / 48 Nm
CHARGER	90mins
BATTERY	1.5Ah x 2
WEIGHT	



20V 2-SPEED C/L IM DRILL

RRP : RM199.00



20V C/L IMPACT WRENCH

RRP : RM299.00

Q3P-CW20A	20140W20A
RATED VOLT	20.0V
MAX CHUCK	10mm
MAX SCREW	7mm
NO LOAD SPEED	0-2200rpm
MAX TORQUE	150Nm
IMPACT RATE	0-3200bpm
CHARGER	90mins
BATTERY	1.5Ah x 2
WEIGHT	

ACCESSORIES

AKSESORI

UPDATED 0122



Q3P-B1213	201401213
FOR	
Q3P-CD12A	
Q3P-DCD12	
Q3P-CD12C	
Q3P-TS12F	
Q3P-TS12A	

12V 1.3Ah BATTERY (3C)

RRP : RM29.00

Q3B-5B213	201405213
FOR	
Q3P-12TDC	
Q3P-CD12A	
Q3P-DCD12	
Q3P-CD12C	
Q3P-TS12F	
Q3P-TS12A	



12V 1.3Ah BATTERY (5C)

RRP : RM39.00



Q3P-C1412	201401412
FOR	
Q3P-12TDC	
Q3P-CD12A	
Q3P-DCD12	
Q3P-CD12C	
Q3P-TS12F	
Q3P-TS12A	

14.4V 120 MIN CHARGER

RRP : RM29.00



Q3P-B215B	20140215B
N/A	

20V 1.5Ah BATTERY 5C

RRP : RM59.00

Q3P-B215A	20140215A
FOR	
Q3P-ID20C	



20V 1.5Ah BATTERY (10C)

RRP : RM79.00



Q3P-C202H	20140202H
FOR	
Q3P-ID20C	

20V 120-150M CHARGER

RRP : RM39.00

Q3D-B1218	20108B218
FOR	
Q3D-1218D	
Q3D-1225K	



12V 1.5Ah BATTERY

RRP : RM35.00



12V 90 MIN CHARGER

RRP : RM29.00

Q3D-12C90	201081290
FOR	
Q3D-1218D	
Q3D-1225K	

CLEANING

EQUIPMENTS

MESIN²

PEMBERSIHAN

UPDATED 0122

Q3W-A1260 (202451260)

1200W 110 BAR HPC



- INDUCTION MOTOR FOR 2 HOUR CONTINUOUS USAGE;
- TEMPERED SS PLUNGERS & BUILT IN THERMAL PROTECTOR;
- COMPLETE ACCESSORIES FOR IMMEDIATE USE;
- UNIT WITHOUT GAUGE;
- LIGHT-WEIGHT FOR MEDIUM DUTY;
- 3-MONTH WARRANTY;

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Watt	1200 Watt	With	Auto Stop / Suction
Voltage	240V/1Ph/50Hz	Pressure Hose	6.0m
Motor Type	Induction	Inlet Hose	1.8m
Rated Pressure	80 Bar	AC Cord	3.5m
Max Pressure	110 Bar	G.Weight/N.Weight	9.5 / 8.0kg
Flow Rate (Max)	390 l/hr or 6.5 l/min	Measurement	H400xw220xL290mm
STANDARD ACCESSORIES	SHORT GUN, NOZZLE, 6M OUTLET PVC HOSE, 1.8M INLET HOSE, QUICK ADAPTOR, WATER FILTER & SOAP BOTTLE.		

RRP (RM)	268.00

PETROL

EQUIPMENTS

PERALATAN

PETROL

UPDATED 0122

Q3E-HL210	00526E210

7.0HP PETROL ENGINE

RRP : RM299.00

Q3U-P270H	205262500
RATED OUTPUT	2.0KW
MAX OUTPUT	2.2KW
FUEL TANK	15.0 LTR
WORK HOUR	10.0 HOUR
ENGINE TYPE/MODEL	4-ST-7.0HP / HL-210
LUBE OIL / VOLUME	SAE 5W-30 / 0.6 LTR
STARTER	RECOIL
WEIGHT	41.0 KG



2000W PETROL GENERATOR

RRP : RM890.00*



3000W PETROL GENERATOR

RRP : RM990.00*

Q3U-P330H	205263000
RATED OUTPUT	2.6KW
MAX OUTPUT	3.0KW
FUEL TANK	15.0 LTR
WORK HOUR	10.0 HOUR
ENGINE TYPE/MODEL	4-ST-7.0HP / HL-210
LUBE OIL / VOLUME	SAE 5W-30 / 0.6 LTR
STARTER	RECOIL
WEIGHT	43.0 KG

Q3G-P270W (20542220J)

2kVA PETROL GENERATOR



- **ECONOMICAL SERIES WITHOUT COMPROMISING POWER FOR OUTDOOR USE**
- **UPTO 10 HOUR USE CONTINOUSLY**
- **RATED 2000W, MAX 2200W WITH AVR**
- **LOW FUEL CONSUMPTION**

SPECIFICATIONS :

GENERATOR		ENGINE	
Rated Output	2.0kW	**Engine Type**	4-Stroke Petrol
Max Output	2.2kW	**Displacement**	196cc
Power Factor	1.00	**Max Output**	6.5 HP/3600rpm
Fuel Type	90#Petrol	**Plug Type**	A7RTC
Fuel Tank	15.0 litre	**Lube Oil**	SAE 5W/30
Work Hour	10.0 hour	**Lube Volume**	0.6 litre
Noise (7m)	61-95dBA	**Starter**	Recoil
Current	240v/50Hz		
		Net/Gross Weight	35/37kg
		Dimension	600 x 440 x 440mm

R.R.P. (RM)	690.00*

Q3G-P330W (20542330J)

3kVA PETROL GENERATOR



- **ECONOMICAL SERIES WITHOUT COMPROMISING POWER FOR OUTDOOR USE**
- **UPTO 10 HOUR USE CONTINOUSLY**
- **RATED 2700W, MAX 3000W WITH AVR**
- **LOW FUEL CONSUMPTION**

SPECIFICATIONS :

GENERATOR		ENGINE	
Rated Output	2.7kW	**Engine Type**	4-Stroke Petrol
Max Output	3.0kW	**Displacement**	210cc
Power Factor	1.00	**Max Output**	7.0 HP/3600rpm
Fuel Type	90#Petrol	**Plug Type**	A7RTC
Fuel Tank	15.0 litre	**Lube Oil**	SAE 5W/30
Work Hour	10.0 hour	**Lube Volume**	0.6 litre
Noise (7m)	61-96dBA	**Starter**	Recoil
Current	240v/50Hz		
		Net/Gross Weight	37/39kg
		Dimension	600 x 440 x 440mm

R.R.P. (RM)	890.00*

Q3G-E330W (2054233JE)

3kVA PETROL GENSET WITH KEY START, HANDLE & WHEEL



- **ECONOMICAL SERIES WITHOUT COMPROMISING POWER FOR OUTDOOR USE;**
- **UPTO 10 HOUR USE CONTINOUSLY;**
- **RATED 2700W, MAX 3000W WITH AVR;**
- **LOW FUEL CONSUMPTION;**
- **MOBILE WITH HANDLE & WHEELS, MANUAL & KEY START;**

SPECIFICATIONS :

GENERATOR		ENGINE	
Rated Output	2.7kW	**Engine Type**	4-Stroke Petrol
Max Output	3.0kW	**Displacement**	210cc
Power Factor	1.00	**Max Output**	7.0 HP/3600rpm
Fuel Type	90#Petrol	**Plug Type**	A7RTC
Fuel Tank	15.0 litre	**Lube Oil**	SAE 5W/30
Work Hour	10.0 hour	**Lube Volume**	0.6 litre
Noise (7m)	61-96dBA	**Starter**	Recoil
Current	240v/50Hz		
		Net/Gross Weight	37/39kg
		Dimension	600 x 440 x 440mm

R.R.P. (RM)	1,190.00

Q3G-E5500 (20542550E)

5kW PETROL GENERATOR (KEY START, HANDLE & WHEEL)



- **100% COPPER WIRED ALTERNATOR;**
- **ECONOMICAL SERIES WITHOUT COMPROMISING POWER FOR OUTDOOR USE;**
- **UPTO 10 HOUR USE CONTINOUSLY;**
- **RATED 5000W, MAX 5500W WITH AVR;**
- **LOW FUEL CONSUMPTION;**

SPECIFICATIONS :

GENERATOR		ENGINE	
Rated Output	5.0kW	**Engine Type**	4-Stroke Petrol
Max Output	5.5kW	**Displacement**	389cc
Power Factor	1.00	**Max Output**	13.0 HP/3600rpm
Fuel Type	90#Petrol	**Plug Type**	A7RTC
Fuel Tank	25.0 litre	**Lube Oil**	SAE 5W/30
Work Hour	10.0 hour	**Lube Volume**	1.1 litre
Noise (7m)	78dBA	**Starter**	Recoil / Key
Current	240v/50Hz		
		Net/Gross Weight	85/88kg
		Dimension	692 x 522 x 545mm

R.R.P. (RM)	2,190.00

Q3G-E7500 (20542750E)

7kW PETROL GENERATOR (KEY START, HANDLE & WHEEL)



- **100% COPPER WIRED ALTERNATOR;**
- **ECONOMICAL SERIES WITHOUT COMPROMISING POWER FOR OUTDOOR USE;**
- **UPTO 10 HOUR USE CONTINOUSLY;**
- **RATED 7000W, MAX 7500W WITH AVR;**
- **LOW FUEL CONSUMPTION;**

SPECIFICATIONS :

GENERATOR		ENGINE	
Rated Output	7.0kW	**Engine Type**	4-Stroke Petrol
Max Output	7.5kW	**Displacement**	460cc
Power Factor	1.00	**Max Output**	17.0 HP/3600rpm
Fuel Type	90#Petrol	**Plug Type**	A7RTC
Fuel Tank	25.0 litre	**Lube Oil**	SAE 5W/30
Work Hour	10.0 hour	**Lube Volume**	1.1 litre
Noise (7m)	78dBA	**Starter**	Recoil / Key
Current	240v/50Hz		
		Net/Gross Weight	90/93kg
		Dimension	692 x 522 x 545mm

R.R.P. (RM)	2,490.00

MESIN² KIMPALAN

WELDING EQUIPMENTS

UPDATED 0122

QWS-140B1 (206461401)

120AMP IGBT MMA INVERTER



- **COMPLETE WITH ACCESSORIES;**
- **ROBUST & FOR USE WITH 6013 ~ 3.2mm ROD (MAX);**
- **PORTABLE FOR EASY CARRY ;**
- **ENTRY LEVEL UNIT;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Input	3.7kW	Rated Input AC	16.9A
MMA Output Range	20-120Amp	Insulation	F
MMA Output Volt	24.8V	Protection	IP21S
No-Load Volt	65V	Efficiency	85%
Duty Cycle (%)	40°C/60%	Electrode Type	6013
Power Factor	0.73	Size	1.6~3.2mm
		Gross/Net Weight	4.0/4.5kg
		Measurement	320x127x192mm
ACCESSORIES :			
1.0m EARTH CABLE	STEEL BRUSH	1.5m WELDING CABLE	
MASK	10-25 Normal Connector	2.0m Cable with Torch	

R.R.P.(RM)	199.00

QWS-180G2 (20646180G)

120AMP-GASLESS MIG/MMA INVERTER (IGBT)



- **COMPLETE WITH ACCESSORIES;**
- **ROBUST & FOR USE WITH 6013 ~ 2.6mm ROD (MAX) & 0.8mm WIRE (MAX);**
- **PORTABLE FOR EASY CARRY & 1KG WIRE;**
- **ENTRY LEVEL DUAL USE UNIT.**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Input	2.8kW	Rated Input AC	
MIG Output Range	Max 120Amp	Insulation	
MMA Output Range	Max 100Amp	Protection	IP21S
MIG Output Volt	20V	Efficiency	80%
Duty Cycle (%)	40°C/60%	Electrode Type	6013
Power Factor	0.73	Size	1.6~2.6mm
Feeding Speed	m/min	Wire	0.6~0.8mm
		Gross/Net Weight	5.0/4.5kg
		Measurement	343x142x172mm
ACCESSORIES :			
1.2m EARTH CABLE	STEEL BRUSH	1.8m WELDING CABLE	
MASK	10-25 Large Connector	1.9m Cable with Torch	

R.R.P.(RM)	449.00

QWS-200G3 (20646200G)

160AMP-GAS & GASLESS MIG/MMA INVERTER (IGBT)



- **COMPLETE WITH ACCESSORIES;**
- **ROBUST & FOR USE WITH 6013 ~ 3.2mm ROD (MAX) & 0.8mm WIRE (MAX);**
- **PORTABLE FOR 5KG WIRE & EASY CARRY;**
- **ENTRY LEVEL UNIT FOR 3 IN 1 FUNCTION.**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Input	4.0kW	Rated Input AC	A
MIG Output Range	140Amp Max	Insulation	F
MMA Output Range	120Amp Max	Protection	IP21S
MIG Output Volt	21V	Efficiency	80%
Duty Cycle (%)	40°C/60%	Electrode Type	6013
Power Factor	0.73	Size	1.6~3.2mm
Feeding Speed	m/min	Wire	0.6~0.8mm
		Gross/Net Weight	10.5/10.0kg
		Measurement	440x182x262mm
ACCESSORIES :			
1.2m EARTH CABLE	STEEL BRUSH	1.8m WELDING CABLE	
MASK	10-25 Normal Connector	2.0m Cable with Torch	

UNIT(S)	DEALERS PRICE NETT NETT (RM)
10	550.00
30	520.00
50	490.00
R.R.P.(RM)	**649.00**

LAWN & GARDEN

AND ACCESSORIES

MESIN² RUMPUN & TAMAN DAN AKSESORI

UPDATED 0122



Q3S-C5020	
DISPLACEMENT	51.2 cc
POWER	2400 W
FUEL TANK	0.52 litre
LUBE TANK	0.26 litre
BAR / CHAIN SIZE	20” / 20”
PITCH / GAUGE	3/8” / 0.058”
STARTING	EASYSTART

52cc 20” CHAINSAW

RRP : RM299.00

GUIDE TO READING THIS CATALOG / PRICE LIST

- **PLEASE ALWAYS CALL OUR OFFICE TO CHECK ON THE LATEST PRICE AS THIS CATALOG IS UPDATED EVERY QUARTERLY;**

- **PLEASE ALSO NOTE THAT THE PRICING IN THIS CATALOG IS SOLELY FOR PENINSULAR MALAYSIA, THERE MAY BE FREIGHT & FORWARDING CHARGES ADDED TO SABAH & SARAWAK;**

- **PLEASE ALSO ALWAYS CHECK ON THE STOCK AVAILABILITY AS YOU MAY BE AWARE THAT THERE ARE TOO MANY ITEMS IN THE CATALOG AND AT TIMES MAY BE OUT OF STOCK;**

- **IF YOU WISH TO HAVE A SOFTCOPY OF THIS CATALOG, YOU CAN ALWAYS LEAVE YOUR HANDPHONE NUMBER WITH OUR OFFICE @ 03-33421212 AND WE WILL SEND TO YOUR HANDPHONE NUMBER;**

- **IF YOU WISH TO CHECK STOCK ON ANY LOCATION IN MALAYSIA, PLEASE DO THE SAME AS ABOVE WITH ENCLOSED LOCATION AND WE WILL GUIDE YOU TO AN AGENT NEAREST TO YOUR LOCATION;**

THANK YOU FOR YOUR CONTINUED SUPPORT !!