QUASA
POWERING CHANGE

BRANDED QUALITY, DIY PRICE.

6 MONTHS WARRANTY. IDEAL FOR ALL CONTRACTORS.

CATALOG 2021~22



KATALOG 2021~22.

JAMINAN 6 BULAN. SESUAI UNTUK SETIAP KONTRAKTOR.

KUALITI JENAMA, HARGA DIY.

UPDATED 0422

QUASA
POWERING CHANGE

reclaim your ·· POWER



UPDATED 0422

QUASA
POWERING CHANGE

POWER TOOLS



ALAT² KUASA

UPDATED 0422

QUASA
POWERING CHANGE



SVP-810SX	001118102
WATT	850W
VOLTAGE	240V/50HZ
NO LOAD SPEED	11,000rpm
DISC DIAMETER	100mm
WIRE CUP DIAMETER	75mm
BRUSH	B141415
AC CORD	2.8m
WEIGHT	

850W 4” GRINDER (B)

RRP : RM119.00

SVP-8100V	00111810V
WATT	850W
VOLTAGE	240V/50HZ
NO LOAD SPEED	2,800~11,000rpm
DISC DIAMETER	100mm
WIRE CUP DIAMETER	75mm
BRUSH	B141415
AC CORD	2.8m
WEIGHT	



850W VAR-SP 4” GRINDER

RRP : RM199.00



CYG-91800	001179180
WATT	2000W
VOLTAGE	240V/50HZ
NO LOAD SPEED	8,500rpm
DISC DIAMETER	180mm
WIRE CUP DIAMETER	100mm
BRUSH	
AC CORD	2.5m
WEIGHT	4.5kg

2000W 7” GRINDER

RRP : RM349.00

UPDATED 0422

QUASA
POWERING CHANGE



CYG-80180	001178180
WATT	1400W
VOLTAGE	240V/50HZ
NO LOAD SPEED	600~3,000rpm
DISC DIAMETER	180mm
BRUSH	
AC CORD	2.5m
WEIGHT	3.4kg

1400W 7” POLISHER

RRP : RM299.00

SVP-64410	001116441
WATT	1200W
VOLTAGE	240V/50HZ
NO LOAD SPEED	33,000rpm
COLLET	6.3mm OR ¼”
BASE	82mm x 90mm
AC CORD	2.5m
WEIGHT	2.2kg



6MM COLLET TRIMMER

RRP : RM149.00



SVP-44180	001114418
WATT	150W
VOLTAGE	240V/50HZ
ORBIT RATE	12000 o/min
BASE SIZE	110 x 100mm
ABRASIVE SIZE	114 x 140mm
BRUSH	M64
AC CORD	2.5m
WEIGHT	1.1kg

150W PALM SANDER

RRP : RM119.00

UPDATED 0422

QUASA
POWERING CHANGE

CYG-DH832 (001170832)

850W MEDIUM DUTY DEMOLITION HAMMER



- 850W & CERAMIC COATED PISTON FOR HEAVY DUTY USAGE & HEAT REDUCTION
- LASTING CARBON FOR USE UPTO 6 MONTHS
- CONTINUOUS USAGE OF UPTO 8 HOURS
- CONTRACTOR'S TOOLS @ DIY PRICE
- 6 MONTH WARRANTY

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Watt	850 Watt	**Brush**	
Voltage	240V/1 Ph/50Hz	**Ac Cord**	3.5m
Impact Rate	4200 bpm	**Net Weight**	5.5kg
Impact Force	12 Joule	**Dimensions**	

RRP (RM)	399.00

UPDATED 0422

QUASA
POWERING CHANGE

CYG-DH838(001170838)

1200W HEAVY DUTY DEMOLITION HAMMER



- **1200W & CERAMIC COATED PISTON FOR HEAVY DUTY USAGE & HEAT REDUCTION**
- **LASTING CARBON FOR USE UPTO 6 MONTHS**
- **GUARANTEED CONTINUOUS USAGE OF UPTO 10-12 HOURS**
- **CONTRACTOR'S TOOLS @ DIY PRICE**
- **6 MONTH WARRANTY**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Watt	1200 Watt	**Brush**	
Voltage	240V/1 Ph/50Hz	**Ac Cord**	3.5m
Impact Rate	3900 bpm	**Net Weight**	6.5kg
Impact Force	18 Joule	**Dimensions**	

RRP (RM)	499.00

UPDATED 0422

HIM-34DFR (0013134DF)

1250W 34MM 4IN1 ROTARY HAMMER (FW-REV)







- PROBABLY THE FIRST **HEAVY DUTY 4 IN 1 34MM** ROTARY HAMMER;
- **WITH METAL GEAR CASING & INNER METAL LINING FOR HEAVY USAGE;**
- **DFR INTERCHANGEABLE**;

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Power	1250 Watt	**No Load Speed**	0 - 1,100rpm
Steel	13mm	**Impact Rating**	0 – 4,900bpm
Concrete	30mm	**Impact Energy**	3.4 joule
Wood	34mm	**Optimum Drill Range**	8–22mm
		Net Weight	3.5kg
ACCESSORIES :	6 / 8 / 10 Drill Bits	1 Pair Carbon	
	1 Point Chisel	1 Quick Change Chuck	
	1 Flat Chisel		

	RRP (RM)	349.00

UPDATED 0422

QUASA
POWERING CHANGE



HDH-6501H	001316501
WATT	1250W
VOLTAGE	240V/50HZ
IMPACT RATE	1,800bpm
IMPACT FORCE	
AC CORD	3.5m
WEIGHT	15.3kg

1250W DEMO HAMMER

RRP : RM649.00

CYG-20200 / 220RE	001172020 / 20RE
WATT	500W
VOLTAGE	240V/50HZ
NO LOAD SPEED	0~850rpm
DIAMETER	13mm-STEEL
DIAMETER	20mm-CONCRETE
DIAMETER	30mm-WOOD
AC CORD	2.5m
WEIGHT	2.3kg



500W 20MM HAMMER

RRP : RM149.00



SKH-R2639	001302639
WATT	800W
VOLTAGE	240V/50HZ
NO LOAD SPEED	0~850rpm
IMPACT RATING	0-4100bpm
IMPACT ENERGY	3 joule
DIAMETER	13mm-STEEL
DIAMETER	26mm-CONCRETE
DIAMETER	40mm-WOOD
AC CORD	2.5m
WEIGHT	4.3kg

3KG ROTARY HAMMER

RRP : RM349.00

UPDATED 0422

QUASA
POWERING CHANGE



ZDL-DM175	001291755
WATT	800W
VOLTAGE	240V/50HZ
NO LOAD SPEED	0-650bpm
IMPACT FREQUENCY	0-40000/min
DIAMETER	16mm-STEEL
DIAMETER	16mm-ALUMINIUM
DIAMETER	50mm-WOOD
AC CORD	2.5m
WEIGHT	3.3kg

1200W PAINT STIRRER

RRP : RM249.00

QLI-12TP2	0013212P2
RATED VOLT	12.0V
MAX CHUCK	10mm
MAX SCREW DIA	M8
MAX TORQUE	28Nm
NO LOAD SPEED	0-450/1600rpm
CHARGER	60mins x 1
BATTERY	1.5Ah x 2



12.0V TWIN PACK IMPACT

RRP : RM349.00



QLI-1431A	
RATED VOLT	14.4V
IMPACT RATE	0-3000 MIN-1
MAX CHUCK	6 HEXAGONAL
NO LOAD SPEED	0-2200rpm
MAX TORQUE	150Nm
CHARGER	90mins
BATTERY	1.5Ah x 1

14.4V IMPACT SCREW DR

RRP : RM249.00

UPDATED 0422

QUASA
POWERING CHANGE



GLI-I3021	001253021
RATED VOLT	12.0V
IMPACT RATE	3200 bpm
SMALL SCREW	4-8mm
NO LOAD SPEED	0-2600rpm
MAX TORQUE	125Nm
CHARGER	60mins
BATTERY	1.5Ah x 2

12V LI-ION IMPACT DR

RRP : RM199.00

GLI-D3011	001253011
RATED VOLT	12.0V
DIAMETER	10mm - STEEL
DIAMETER	25mm - WOOD
NO LOAD SPEED	0-350/1200rpm
MAX TORQUE	27Nm
CHARGER	60mins
BATTERY	1.5Ah x 2



12V LI-ION 27NM DRILL

RRP : RM169.00



GLI-G5311	001255311
RATED VOLT	18V
DISC DIAMETER	115mm
WIRE CUP DIAMETER	75mm
NO LOAD SPEED	7000rpm
CHARGER	60mins x 1
BATTERY	3.0Ah x 1
WEIGHT	1.8kg

18V CORDLESS GRINDER

RRP : RM499.00

UPDATED 0422

QUASA
POWERING CHANGE



GLI-W5231	001255231
RATED VOLT	18V
DRIVE TYPE	½" SQ DRIVE
MAX IMPACT	3200bpm
NO LOAD SPEED	2600rpm
SMALL SCREW	M10-M16
ORDINARY BOLT	M8-M14
CHARGER	60mins x 1
BATTERY	3.0Ah x 1
WEIGHT	1.8kg

18V 240NM IM WRENCH

RRP : RM499.00

SKH-D1801	001301801
RATED VOLT	18V
DIA-STL/CON/WOOD	13/20/30mm
NO LOAD SPEED	0-1400rpm
IMPACT RATING	0-6500bpm
IMPACT ENERGY	2 joule
CHARGER	60mins x 1
BATTERY	2.6Ah x 2
WEIGHT	2.3kg



18V 20MM RO HAMMER

RRP : RM499.00



GLI-S1051	001251051
RATED VOLT	3.6V 1.3Ah
DRIVE SIZE	¼" HEX DRIVE
NO LOAD SPEED	0-180rpm
MAX TORQUE	7Nm
CHARGER	120mins
WEIGHT	0.35kg

3.6V 7.5NM LI-ION DRILL

RRP : RM79.00

UPDATED 0422

QUASA
POWERING CHANGE



CYG-50600	001175060
WATT	500W
VOLTAGE	240V/50HZ
STEEL	10mm
WOOD	65mm
NO LOAD SPEED	500-3000rpm
AC CORD	2.5m
WEIGHT	2.8kg

500W JIG SAW

RRP : RM229.00

ZDL-J2306	001292306
WATT	710W
VOLTAGE	240V/50HZ
STEEL	10mm
ALUMINIUM	20mm
WOOD	105mm
NO LOAD SPEED	1500-3000rpm
AC CORD	2.5m
WEIGHT	2.38kg



710W 105MM JIG SAW

RRP : RM249.00



CYG-58200	001175820
WATT	650W
VOLTAGE	240V/50HZ
PLAN WIDTH	82mm
PLAN DEPTH	1mm
NO LOAD SPEED	1600rpm
AC CORD	2.5m
WEIGHT	3.9kg

650W PLANER

RRP : RM209.00

UPDATED 0422

QUASA
POWERING CHANGE



ZHZ-24355	00133939A
WATT	2400W
VOLTAGE	240V/50HZ
NO LOAD SPEED	3800rpm
BLADE DIAMETER	355mm
MAX CUTTING	at 90°- 110mm
AC CORD	3.0m
WEIGHT	18kg

2400W 14” CUT-OFF SAW

RRP : RM369.00

SKB-F301E	001300301
WATT	600W
VOLTAGE	240V/50HZ
NO LOAD SPEED	0-16000rpm
AIR FLOW	3.0m³/min
AC CORD	2.5m
WEIGHT	1.1kg



600W VAR-SPEED BLOWER

RRP : RM149.00



MADE IN TAIWAN

AGP-RP160	00100P160
WATT	1200W
VOLTAGE	240V/50HZ
NO LOAD SPEED	1000-2400rpm
PAD SIZE	150mm
SPINDLE	M14
AC CORD	2.5m
WEIGHT	2.1kg

1200W 6” POLISHER

RRP : RM630.00

UPDATED 0422

QUASA
POWERING CHANGE



MADE IN TAIWAN

AGP-MD352	00100D352
WATT	1100W
VOLTAGE	240V/50HZ
MAGNET	15000Nm
MAX CAPACITY	35 x 50mm (CORE)
MAX CAPACITY	13 x 140mm(TWIST)
WELDON SHANK	19mm
AC CORD	2.5m
WEIGHT	12.36kg

35MM MAGNETIC DRILL

RRP : RM3,300.00

AGP-MD500	00100D500
WATT	1800W
VOLTAGE	240V/50HZ
MAGNET	32000Nm
MAX CAPACITY	50 x 75mm (CORE)
MAX CAPACITY	16 x 110mm(TWIST)
WELDON SHANK	19mm
AC CORD	2.5m
WEIGHT	22.90kg



MADE IN TAIWAN

50MM MAGNETIC DRILL

RRP : RM4,900.00



MADE IN TAIWAN

AGP-GP255	00100G255
WATT	1600W
VOLTAGE	240V/50HZ
ARBOR	30mm
BLADE SIZE	255mm
MAX CUTTING	@ 90° - 100 x 60mm
	@ 45° - 212 x 60mm
AC CORD	2.5m
WEIGHT	18.5kg

10” COMP MITRE SAW

RRP : RM1,390.00

UPDATED 0422

QUASA
POWERING CHANGE



MADE IN TAIWAN

800W ELECTRIC MIXER

RRP : RM590.00

AGP-EV32P	00100EV32
WATT	800W
VOLTAGE	240V/50HZ
NO LOAD SPEED	750rpm
MIXING PADDLE	105mm
GEAR / SPEED CTRL	1 / NONE
POWER	6.0 Nm
THREAD	M14 x 2
AC CORD	2.5m
WEIGHT	2.9kg

AGP-EV42P	00100EV42
WATT	1100W
VOLTAGE	240V/50HZ
NO LOAD SPEED	250~700rpm
MIXING PADDLE	120mm
GEAR / SPEED CTRL	1 / ELECTRONIC
POWER	11.0 Nm
THREAD	M14 x 2
AC CORD	2.5m
WEIGHT	3.6kg



MADE IN TAIWAN

1100W ELECTRIC MIXER

RRP : RM790.00



MADE IN TAIWAN

T328 HVLP PAINT SPRAYER

RRP : RM1,990.00

AGP-T0328	00100T328
WATT	1400W
VOLTAGE	240V/50HZ
TURBINE	3 STAGE
AIR FLOW	2800 l/min
MAX PRESSURE	0.41 bar (6 psi)
AIR HOSE	6m
GUN	1.3mm
AC CORD	2.5m
WEIGHT	8.9kg

UPDATED 0422

QUASA
POWERING CHANGE



AGP-EC021	00100EC21
WATT	700W
VOLTAGE	240V/50HZ
MOTOR TYPE	DC FAN COOLED
AIR FLOW	1.9 l/min
MAX PRESSURE	207 bar (3000 psi)
AIR HOSE	¼" x 25' (7.5m)
MAX TIP SIZE	0.021"
AC CORD	2.5m
WEIGHT	11.0kg

ELEC PISTON A/L SPRAYER

RRP : RM4,200.00

AGP-PM025	00100PM25
WATT	1300W
VOLTAGE	240V/50HZ
MOTOR TYPE	DC FAN COOLED
AIR FLOW	2.7 l/min (0.71 gpm)
MAX PRESSURE	207 bar (3000 psi)
AIR HOSE	¼" x 54' (16.5m)
MAX TIP SIZE	0.025"
AC CORD	2.5m
WEIGHT	29.6kg



ELEC PISTON A/L SPRAYER

RRP : RM6,800.00

UPDATED 0422

QUASA
POWERING CHANGE

ACCESSORIES

(ALAT-ALAT KUASA)

(POWERTOOLS)

AKSESORI

UPDATED 0422

QUASA
POWERING CHANGE



GLI-B3C03	001253C03
FOR	
GLI-I3021	
GLI-D3011	

12V FAST CHARGER

RRP : RM.00

GLI-B1201	001251201
FOR	
GLI-I3021	1.5Ah
GLI-D3011	SAMSUNG CELLS



12V LI-ION SAMSUNG BAT

RRP : RM.00



GLI-B121C	00125121C
FOR	
GLI-I3021	1.3Ah CHINA CELLS
GLI-D3011	

12V LI-ION CHINA BATT

RRP : RM.00

UPDATED 0422

QUASA
POWERING CHANGE



GLI-C3518	001253518
FOR	
GLI-G5311	
GLI-W5231	

18V FAST CHARGER

RRP : RM.00

GLI-1830S	00125183S
FOR	
GLI-G5311	3.0Ah
GLI-W5231	SAMSUNG CELLS



18V LI-ION SAMSUNG BAT

RRP : RM.00



GLI-C3518	001253518
FOR	
GLI-G5311	3.0Ah CHINA CELLS
GLI-W5231	

18V LI-ION CHINA BATT

RRP : RM.00

UPDATED 0422

QUASA
POWERING CHANGE



18V FAST CHARGER

RRP : RM.00

SKC-1826L	00130C826
FOR	
SKH-D1801	

SKC-1826C	00130L826
FOR	
SKH-D1801	2.6Ah CHINA CELLS



18V LI-ION CHINA BATT

RRP : RM.00

UPDATED 0422

QUASA
POWERING CHANGE



12V 1.3Ah CHINA BATTERY

RRP : RM.00

QLI-B1213	001321213
FOR	
QLI-1206Q	1.3Ah CHINA CELLS

QLI-B1215	001321215
FOR	
QLI-12TP2	1.5Ah CHINA CELLS
QLI-1206Q	



12V 1.5Ah CHINA BATTERY

RRP : RM.00



14.4V 1.5Ah CHINA BATT

RRP : RM.00

QLI-B1415	001321415
FOR	
QLI-1407Q	1.5Ah CHINA CELLS
QLI-1407T	
QLI-1431A	

UPDATED 0422

QUASA
POWERING CHANGE



QLI-12VFC	0013212FC
FOR	
QLI-12TP2	

12V FAST CHARGER

RRP : RM.00

QLI-12VSC	0013212CS
FOR	
QLI-1206Q	



12V 90 MINS CHARGER

RRP : RM.00



QLI-14VSC	0013214CS
FOR	
QLI-1407Q	
QLI-1407T	
QLI-1431A	

14.4V 90 MINS CHARGER

RRP : RM.00

UPDATED 0422

QUASA
POWERING CHANGE

20V CORDLESS POWERTOOLS SERIES



SIRI ALATAN KUASA TANPA KORD 20V

UPDATED 0422

CORDLESS UNITYCEL·20

(20.0V PLATFORM)

Ever since the creation of **CORDLESS TOOLS**, many makers are always looking to create a **POWER PLATFORM** that can accommodate multiple tools allowing buyers/users the **FLEXIBILITY** of using the same **POWER SOURCE** on their growing list of tools.

Like **EV (Electric Vehicle)** makers striving to improve on the duration of the battery usage, the Li-Ion technology for **CORDLESS TOOLS** would be a common sight in most hardware & machinery shops and **@ QUASA**, we strive to bring you a complete range of **DC TOOLS** ideal for Contractors and DIY use powered by a single **POWER SOURCE**. Most importantly allowing Contractors an **affordable range of tools fit for professional use BUT close to DIY Price**.

Our **UNITYCEL·20 SERIES** platform enable a flexible one-for-all integrated solution to all the prospective **CORDLESS TOOLS** within our range. This range will truly enable users the mobility of their units without hassle of the wire.

ADVANTAGE POINTS

- **Power Platform is becoming a part of global retail strategy;**
- **Strong platform will create user loyalty;**
- **Battery + Charger platform is eventually seen as independent from products maker creating a competitive environment;**
- **Power Platform will drive makers into specialization resulting in more tools, more usage;**
- **Game Changer;**

UPDATED 0422

WHERE ARE WE HEADING

- **UNITYCEL·20 SERIES creates an environment for products expansion;**
- **Requirement of higher voltage & more demanding job requiring a flexible platform that can be expanded without switching platform;**
- **Each product has its own Electronic "Sweet Spot' thereby the electronics are now attached to the unit(s) and/or charger rather than the battery;**
- **Impossible to have a single battery design suit all products, even if its possible impact on costs will be very significant;**
- **One for all charger simplified;**
- **Endless possibilities and loyalty is created;**

AS IT IS

PowerTools Series
Garden Tools Series
Xtreme Series

UPDATED 0422

LCB-CA20A (00140A20A)

20V CORDLESS 4” GRINDER (BARE UNIT)



- **MID-HEAVY DUTY BUT IDEAL FOR MOST USERS;**
- **BRUSHLESS MOTOR COMPLETE WITH ACCESSORIES;**
- **SOFT START WITH SLIDE SWITCH ON TOP;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
No Load Speed	2500/4700/9000rpm	**Recommended Charger**	20V
Disc Diameter Φ	100/115/125mm	**Gross/Net Weight**	1.36/1.26kg
Motor	**Brushless Series**	**Packing**	
Power	900 W		
Accessories	Handle x 1		
	Metal Guard x 1		

RRP (RM)	199.00

UPDATED 0422

XAG-B0118 (X01500100)

20V 4” CORDLESS ANGLE GRINDER (BARE)



- IDEAL FOR HEAVY DUTY USERS;
- BRUSHLESS MOTOR;
- SLIM HOLDER;
- SOFT START WITH POWER-OFF PROTECTION;
- 6-SPEED ADJUSTABLE;
- 12-MONTH WARRANTY;

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 4.0Ah XTREME
No Load Speed	3,000-8,500rpm	**Recommended Charger**	20V
Spindle Thread	M10	**Gross/Net Weight**	Baretool 1.6kg
Disc Diameter	**100mm**	**Unit Measurement**	
		Packing	
		Carton Measurement	
		Accessories	Wrench, Side Handle

RRP (RM)	390.00

UPDATED 0422

DGB-6804D (001506804)

20V BRUSHLESS HEAVY DUTY DIE GRINDER (BARE UNIT)





ACCESSORIES :

- **IDEAL FOR HEAVY DUTY USERS**
- **BRUSHLESS MOTOR - POWERFUL AND DURABLE;**
- **6-VARIABLE SPEED WITH LOCK-ON SWITCH;**
- **RE-START PROTECTION LED FLASHING;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Rated Volt	20V	Recommended	20V 3.0/4.0/6.0Ah
No Load Speed	0-28,000rpm	Recommended Charger	20V
Chuck/Collet Size	6mm		
		G.Weight/N.Weight	kg
		Measurement	

RRP (RM)	349.00

UPDATED 0422

LCB-CD201 (00140D201)

20V CORDLESS 13MM 45NM IMPACT DRILL (BARE UNIT)



- **MID-HEAVY DUTY BUT IDEAL FOR MOST USERS;**
- **BRUSHLESS MOTOR COMPLETE WITH ACCESSORIES;**
- **WITH LED WORKLIGHT;**
- **VARIABLE SPEED WITH BRAKE;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
No Load Speed	0-520, 0-1,700rpm	**Recommended Charger**	20V
Chuck Φ	13mm Steel Chuck	**Gross/Net Weight**	1.60/1.45kg
Max Screw Φ	10mm	**Packing**	
Capacity Φ Steel/Wood	16mm / 50mm		
Motor	**Brushless Series**		
Torque Settings	23+1+1+1		
Torque	45Nm		
Gearbox	2-Speed Mechanical		

RRP (RM)	199.00

UPDATED 0422

LCB-SD20H (00140D20H)

20V CORDLESS 13MM 52NM IMPACT DRILL (BARE UNIT)



- **MID-HEAVY DUTY BUT IDEAL FOR MOST USERS;**
- **BRUSHLESS MOTOR COMPLETE WITH ACCESSORIES;**
- **WITH LED WORKLIGHT;**
- **VARIABLE SPEED WITH BRAKE;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
No Load Speed	0-520, 0-1,700rpm	**Recommended Charger**	20V
Chuck Φ	13mm Steel Chuck	**Gross/Net Weight**	1.60/1.45kg
Max Screw Φ	10mm	**Packing**	
Capacity Φ Steel/Wood	16mm / 50mm		
Motor	**Brushless Series**		
Torque Settings	23+1+1+1		
Torque	52Nm		
Gearbox	2-Speed Mechanical		

RRP (RM)	199.00

UPDATED 0422

IDB-02504 (001502504)

20V MAX 280Nm CORDLESS IMPACT DRIVER (BARE UNIT)





ACCESSORIES :

- **IDEAL FOR HEAVY DUTY USERS**
- **BRUSHLESS MOTOR POWERFUL AND DURABILITY;**
- **3-SPEED SETTING WITH 3-TORQUE LEVELS;**
- **LED WORKING LIGHT;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Rated Volt	20V	Recommended	20V 3.0/4.0/6.0Ah
No Load Speed	0-2,500rpm	Recommended Charger	20V
Impact Rate	0-2,700bpm		
Chuck Size	¼"	G.Weight/N.Weight	kg
Max Torque	280Nm	Measurement	

RRP (RM)	249.00

UPDATED 0422

LCP-CH20M (00140H20M)

20V CORDLESS 20MM ROTARY HAMMER (BARE UNIT)



- **MID-DUTY, IDEAL FOR CONTRACTORS;**
- **COMPLETE WITH ACCESSORIES;**
- **WITH LED WORKLIGHT;**
- **SDS COMPATIBLE DRILLING & HAMMER FUNCTION;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
No Load Speed	0-1200rpm	**Recommended Charger**	20V
Impact	0-3,500bpm	**Gross/Net Weight**	1.30/1.16kg
Motor	Brush-Series	**Packing**	
Impact Strength	J		
Drilling Φ : Concrete	20mm		
Steel	mm		
Wood	mm	**Accessories**	

RRP (RM)	199.00

UPDATED 0422

LCB-CH20I (00140H20I)

20V CORDLESS 26MM ROTARY HAMMER (BARE UNIT)

Picture for illustration only



- **INDENT MODEL ONLY;**
- **MID-HEAVY DUTY BUT IDEAL FOR MOST USERS;**
- **BRUSHLESS MOTOR COMPLETE WITH ACCESSORIES;**
- **AUTO-CUT FUNCTION**
- **OPTIMUM DRILLING UPTO 22MM**
- **WITH LED WORKLIGHT;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
No Load Speed	0-1,400rpm	**Recommended Charger**	20V
Impact Rate	0-4,800bpm	**Gross/Net Weight**	
Impact Strength	J	**Packing**	
Max Capacity Φ	26mm Concrete		
Optimum Capacity Φ	22mm Concrete	**Accessories**	
Motor	**Brushless Series**	**Comparison**	

RRP (RM)	-INDENT-

UPDATED 0422

LCB-CH20A (00140H20A)

20V CORDLESS 26MM ROTARY HAMMER (BARE UNIT)



- **MID-HEAVY DUTY BUT IDEAL FOR MOST USERS;**
- **BRUSHLESS MOTOR COMPLETE WITH ACCESSORIES;**
- **AUTO-CUT FUNCTION**
- **OPTIMUM DRILLING UPTO 22MM**
- **WITH LED WORKLIGHT;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
No Load Speed	0-1,400rpm	**Recommended Charger**	20V
Impact Rate	0-4,800bpm	**Gross/Net Weight**	
Impact Strength	J	**Packing**	
Max Capacity Φ	26mm Concrete		
Optimum Capacity Φ	22mm Concrete	**Accessories**	
Motor	**Brushless Series**	**Comparison**	

RRP (RM)	249.00

UPDATED 0422

LCB-CH20B (00140H20B)

20V CORDLESS 30MM ROTARY HAMMER (BARE UNIT)



- **FOR MID-HEAVY DUTY USE;**
- **BRUSHLESS MOTOR COMPLETE WITH ACCESSORIES;**
- **AUTO-CUT FUNCTION**
- **OPTIMUM DRILLING UPTO 26MM**
- **WITH LED WORKLIGHT;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

SPECIFICATIONS		SPECIFICATIONS	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
No Load Speed	0-1,500rpm	**Recommended Charger**	20V
Impact Rate	0-5,800bpm	**Gross/Net Weight**	4.0/3.88kg
Impact Stremgth	J	**Packing**	
Max Capacity Φ	30mm Concrete		
Optimum Capacity Φ	26mm Concrete	**Accessories**	
Motor	**Brushless Series**	**Comparison**	

RRP (RM)	349.00

UPDATED 0422

XRH-BR171 (X01500422)

20V 22MM CORDLESS ROTARY HAMMER (BARE)



- **IDEAL FOR MID-HEAVY DUTY USERS;**
- **DRILLING BEAT DHR171;**
- **BRUSHLESS MOTOR;**
- **LOW VIBRATION, LIGHT WEIGHT & COMPACT;**
- **12-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	4.0Ah XTREME
No Load Speed	0-1,350rpm	**Recommended Charger**	20V
Impact Rate	0-4,800ipm	**Gross/Net Weight**	Bare Tool – 1.7kg
Mode	**Hammer Drilling, Drilling,**	**Packing**	
	Chiselling, Rotate		
Optimised Drilling	**6-12mm Concrete**		
	5-18mm Wood	**Accessories**	Depth Stop
	4-18mm Steel		
Max Capacity	22mm		
Impact Energy	**1.7J**		
Holder	**SDS-Plus**		

RRP (RM)	590.00

UPDATED 0422

XRH-B0318 (X01500426)

20V 26MM CORDLESS ROTARY HAMMER (BARE)



- **IDEAL FOR MID-HEAVY DUTY USERS;**
- **BRUSHLESS MOTOR;**
- **LOW VIBRATION;**
- **LED-WORKING LIGHT;**
- **12-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	4.0Ah XTREME
No Load Speed	0-1,200rpm	**Recommended Charger**	20V
Impact Rate	0-5,300ipm	**Gross/Net Weight**	Bare Tool – 2.7kg
Motor	**Brushless Series**	**Packing**	
Mode	**Hammer Drilling, Drilling,**		
	Chiselling, Rotate		
Max Capacity	26mm	**Accessories**	**Depth Stop**
Impact Energy	**3.0J**		
Holder	**SDS-Plus**		

RRP (RM)	390.00

UPDATED 0422

LCB-CS20A (00140CS20)

20V CORDLESS 185MM CIRCULAR SAW (BARE UNIT)



- **MID-HEAVY DUTY USE;**
- **BRUSHLESS MOTOR;**
- **WITH ACTIVATED LED LIGHT;**
- **SPINDLE LOCK FOR BLADE CHANGE;**
- **TRIGGER SWITCH WITH BRAKE:**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
Blade Size	**185mm**	**Recommended Charger**	20V
Motor	**Brushless Series**	**Gross/Net Weight**	3.4/3.27kg
Max Cutting Depth	0-45° Bevel	**Packing**	
	55mm @ 90°		
	41mm @ 45°		
Work Light	LED		
No Load Speed	11,000rpm	**Accessories**	N/A

RRP (RM)	299.00

UPDATED 0422

PJB-S6518 (001506518)

20V CORDLESS JIGSAW (BARE UNIT)



- MID-HEAVY DUTY USE;
- BRUSHLESS MOTOR;
- VARIABLE SPEED ADJUSTMENT;
- SPINDLE LOCK FOR BLADE CHANGE;
- PENDULUM SETTING;
- 6-MONTH WARRANTY;

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	Recommended Battery	20V 3.0/4.0/6.0Ah
No Load Speed	0-2,900rpm	Recommended Charger	20V
Cutting Capacity	65mm	Gross/Net Weight	/kg
Stroke Length	18mm	Packing	
Motor	Brushless Series		
		Accessories	N/A

RRP (RM)	249.00

UPDATED 0422

PLP-N9100 (001501900)

20V CORDLESS WOOD PLANER (BARE UNIT)





ACCESSORIES :

- **IDEAL FOR MID-HEAVY DUTY USERS**
- **SPINDLE LOCK FOR EASY BLADE CHANGE;**
- **TRIGGER SWITCH BRAKE;**
- **LED WORKING LIGHT;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
No Load Speed	15,000rpm	**Recommended Charger**	20V
Plan Width	82mm	**Gross/Net Weight**	/kg
Plan Depth	0-2.0mm	**Packing**	
		Accessories	SOCKET WRENCH
			GUIDE PLATE
			SHARPENING BLOCK
			FEELER BLOCK

RRP (RM)	299.00

UPDATED 0422

PSA-L2015 (00150215S)

20V 125MM ORBITAL SANDER (BARE UNIT)



- **MID-HEAVY DUTY USE;**
- **6 VARIABLE SPEED SETTING;**
- **LOW VIBRATION;**
- **SOFT GRIP HOLDING;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
No Load Speed	6,000-11,000rpm	**Recommended Charger**	20V
Motor		**Gross/Net Weight**	1.30/1.00kg
Orbit	2.5mm	**Packing**	
Sanding Pad	Ø 125mm		
		Accessories	3 Pcs Sanding Paper

RRP (RM)	229.00

UPDATED 0422

PSB-44180 (001504180)

20V BRUSHLESS PALM SANDER (BARE UNIT)



- **MID-HEAVY DUTY USE;**
- **BRUSHLESS FOR LASTING USE;**
- **LOW VIBRATION;**
- **SOFT GRIP HOLDING;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
No Load Speed	8,000-12,000rpm	**Recommended Charger**	20V
Motor	**BRUSHLESS**	**Gross/Net Weight**	1.30/1.00kg
Sanding Pad Cushion	110*100mm	**Packing**	
		Accessories	

RRP (RM)	249.00

UPDATED 0422

FIP-LFX50 (00149NS50)

20V CORDLESS 50MM NAILER/STAPLER (BARE UNIT)



- **MID-HEAVY DUTY USE;**
- **NAIL & STAPLER - DUAL USAGE;**
- **LOW VIBRATION;**
- **SOFT GRIP HOLDING;**
- **SAVE ON AIR-COMPRESSOR;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
Max Firing Speed	60nails/staples/min	**Recommended Charger**	20V
Max Magazine Capacity	Max 100 nails/staples	**Gross/Net Weight**	2.75/2.64/kg
Max Nail Length	50/18 Gauge (20-50mm)	**Packing**	5 Units/Carton
Max Staples Length	40/18 Gauge (19-40mm)		
Shots At Full Charge	400 Shots		
		Accessories	

RRP (RM)	499.00

UPDATED 0422

LCP-RS20B (00140S20B)

20V CORDLESS RECIPROCATING SAW (BARE UNIT)









- **MID-HEAVY DUTY BUT IDEAL FOR MOST USERS;**
- **TOOL LESS BLADE CHANGE;**
- **PIVOTING & ADJUSTABLE SHOE;**
- **TRIGGER ACTIVATED LED WORK LIGHT**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
Strokes Per Minute	0-3,000 rpm	**Recommended Charger**	20V
Length of Stroke	28mm (1-1/8”)	**Gross/Net Weight**	1.9/1.7kg
Capacity : in Pipe	130mm (5-1/8”)	**Packing**	
In Wood	250mm (10”)		
Motor	Brush Series	**Comparison**	**Makita BJR181RFE**
			Milwaukee M18CSX
Accessories	Handle x 1		**DeWalt DCS380M2**
	Metal Guard x 1		**Bosch GSA18 V-32**
			DCA ADJF28

RRP (RM)	199.00

UPDATED 0422

LCB-CW20B (00140W20B)

20V CORDLESS 380NM IMPACT WRENCH (BARE UNIT)



- **MID-HEAVY DUTY IDEAL FOR MOST USERS;**
- **BRUSHLESS MOTOR COMPLETE WITH ACCESSORIES;**
- **BELT CLIP INSTALLATION;**
- **TRIGGER ACTIVATED LED WORK LIGHT;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
No Load Speed	1900/2400rpm	**Recommended Charger**	20V
Impact Rate	3,800 bpm	**Gross/Net Weight**	
Max Torque	380Nm	**Packing**	
Motor	**Brushless Series**		
		Accessories	

RRP (RM)	199.00

UPDATED 0422

XIW-B0312 (X01500560)

20V MID-TORQ 1/2” CORDLESS IMPACT WRENCH (BARE)



- IDEAL FOR HEAVY DUTY USERS;
- BRUSHLESS MOTOR;
- 2 LEVEL TORQUE SETTING;
- 1/2” SQUARE DRIVER;
- BUSTING AUTO-STOP OPTION;
- 12-MONTH WARRANTY;

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	3.0/4.0Ah (or 4.0 XTREME)
No Load Speed	0-2,500rpm	**Recommended Charger**	20V
Impact Rate	0-3,300ipm	**Gross/Net Weight**	Bare Tool – 1.6kg
Motor	**Brushless Series**	**Packing**	
Chuck Size	**1/2” (Sq Driver)**		
Tightening Torque	560Nm (Max)		
Loosening Torque	720Nm (Max)	**Accessories**	
Driving Capacity	M24 Bolt		

RRP (RM)	490.00

UPDATED 0422

XIW-B2863 (X01501219)

20V HI-TORQ 1/2” CORDLESS IMPACT WRENCH SET



- **IDEAL FOR HEAVY DUTY USERS;**
- **TORQUE REACH TO MIL-2863;**
- **BRUSHLESS MOTOR;**
- **3-TORQUE SETTING;**
- **1/2” SQUARE DRIVER;**
- **12-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 4.0Ah XTREME
No Load Speed	0-1,650rpm	**Recommended Charger**	20V
Impact Rate	0-2,100ipm	**Gross/Net Weight**	Bare Tool – 2.8kg
Motor	**Brushless Series**	**Packing**	
Chuck Size	**1/2” (Sq Driver)**		
Tightening Torque	1,356Nm		
Loosening Torque	1,898Nm	**Accessories**	1 Belt Hook
Driving Capacity	M33 Bolt		**20V 15c Batteries x 2pcs**
			20V Charger x 1pc

RRP (RM)	1,380.00

UPDATED 0422

XIW-B2864 (X01503420)

20V HI-TORQ 3/4” CORDLESS IMPACT WRENCH SET



QUASA® Xtreme

- **IDEAL FOR HEAVY DUTY USERS;**
- **TORQUE REACH TO MIL-2864;**
- **BRUSHLESS MOTOR;**
- **3-TORQUE SETTING;**
- **3/4” SQUARE DRIVER;**
- **12-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 4.0Ah XTREME
No Load Speed	0-1,650rpm	**Recommended Charger**	20V
Impact Rate	0-2,100ipm	**Gross/Net Weight**	Bare Tool – 2.9kg
Motor	**Brushless Series**	**Packing**	
Chuck Size	**3/4” (Sq Driver)**		
Tightening Torque	1,627Nm		
Loosening Torque	2,034Nm	**Accessories**	1 Belt Hook
Driving Capacity	M41 Bolt		**20V 15c Batteries x 2pcs**
			20V Charger x 1pc

RRP (RM)	1,480.00

UPDATED 0422

LCB-CR20A (00140R20A)

20V CORDLESS RIVETER (BARE UNIT)



- **MID-HEAVY DUTY IDEAL FOR MOST USERS;**
- **BRUSHLESS MOTOR COMPLETE WITH ACCESSORIES;**
- **VELCRO BASE;**
- **INC. EXTRACTION ADAPTER + DUST BAG**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
Max Tension	10,000N	**Recommended Charger**	20V
Capacity	2.4 – 5.0mm	**Gross/Net Weight**	
Motor	**Brushless Series**	**Packing**	
Accessories		**Comparison**	

RRP (RM)	349.00

UPDATED 0422

LCB-CC20B (00140CC20)

20V CORDLESS 5” PLUNGE SAW (BARE UNIT)



- **FOR MID-HEAVY DUTY USERS;**
- **BRUSHLESS MOTOR;**
- **TRIGGER SWITCH WITH BRAKE;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	40.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
No Load Speed	0-6,500rpm	**Recommended Charger**	20V
Cutting Capacity	0-40mm	**Gross/Net Weight**	
Blade Diameter	100/125mm	**Packing**	
Cutting Angle	0-45°		
Motor	**Brushless Series**	**Accessories**	

RRP (RM)	199.00

UPDATED 0422

LCP-CB20A (00140B20A)

20V CORDLESS BLOWER (BARE UNIT)



- **MID-HEAVY DUTY BUT IDEAL FOR MOST USERS;**
- **POWERFUL AIRFLOW**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	40.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
No Load Speed	0-19,000rpm	**Recommended Charger**	20V
Capacity	1.6-2.8 m^3/min	**Gross/Net Weight**	
Motor	Brush Series	**Packing**	
		Accessories	
		Comparison	

RRP (RM)	99.00

UPDATED 0422

BKP-PS02S (00127P02S)

20V CORDLESS PAINT SPRAYER (BARE UNIT)



- **MEDIUM DUTY BUT IDEAL FOR MOST USERS;**
- **IDEAL AIRFLOW;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
Max Flow	200 ml/min	**Recommended Charger**	20V
Capacity	1,000 ml or 1 litre	**Gross/Net Weight**	
Max Viscocity	80 din/sec	**Packing**	
No Load Speed	32,000rpm	**Accessories**	
		Brass Nozzle	1.0/1.5/1.8/2.0mm
		Bottle	1,000ml or 1litre

RRP (RM)	199.00

UPDATED 0422

PLL-L1804 (00150L184)

20V 2900 LUMEN CORDLESS & CORDED LED (BARE UNIT)





ACCESSORIES :

- **IDEAL FOR MID-HEAVY DUTY USERS**
- **DUAL POWER SOURCES AC/DC;**
- **3-LEVEL LUMEN SETTING;**
- **MULTIPLE HANGING WAY WITH 360° ROTATION-TILT ADJUSTMENT;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt (DC)	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
Rated Volt (AC)	100-240V	**Recommended Charger**	20V
Watt	30W	**Gross/Net Weight**	2.2/1.7kg
Lumen	2900/1900/900LM	**Packing**	
		Accessories	AC Adaptor

RRP (RM)	249.00

UPDATED 0422

PJF-A1804 (00150184A)

20V CORDLESS & CORDED 280MM FAN (BARE UNIT)





ACCESSORIES :

- **IDEAL FOR MID-HEAVY DUTY USERS**
- **DUAL POWER SOURCES AC/DC;**
- **2-SPEED LEVEL SETTING;**
- **MULTIPLE HANGING WAY WITH 360° ROTATION-TILT ADJUSTMENT;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt (DC)	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
Rated Volt (AC)	100-240V	**Recommended Charger**	20V
Watt	26W	**Gross/Net Weight**	3.0/2.4kg
Fan Diameter	230mm	**Packing**	
No Load Speed	2,500/1,500rpm	**Accessories**	AC Adaptor
Air Volume	450/350cfm		

RRP (RM)	249.00

UPDATED 0422

PJF-B1804 (00150184B)

20V CORDLESS & CORDED 230MM FAN (BARE UNIT)





ACCESSORIES :

- **IDEAL FOR MID-HEAVY DUTY USERS**
- **DUAL POWER SOURCES AC/DC;**
- **3-SPEED LEVEL SETTING;**
- **MULTIPLE HANGING WAY WITH 360° ROTATION-TILT ADJUSTMENT;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt (DC)	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
Rated Volt (AC)	100-240V	**Recommended Charger**	20V
Watt	11W	**Gross/Net Weight**	/kg
Fan Diameter	170mm	**Packing**	
No Load Speed	2,500/1,600/1,500rpm	**Accessories**	AC Adaptor
Air Volume	270/240/180cfm		

RRP (RM)	199.00

UPDATED 0422

PWB-H8263 (001508263)

HEAVY DUTY WORK BENCH



ACCESSORIES :

- **IDEAL FOR HEAVY DUTY USERS UPTO 200/500KG;**
- **REINFORCED PP TOP & ALUMINIUM LEGS;**
- **EASILY CHANGEABLE TO SAWHORSE VERSION;**
- **WIDE APPLICATION & LIGHT WEIGHT @ ONLY 11.5KG;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Table Size	820x630mm	**Max Load (As Bench)**	**200kg**
Overall (Extended)	849x630x810mm	**Max Load (As Sawhorse)**	**500kg**
Overall (Folded)	630x118x603mm	**Max Clamp Capacity**	646mm
Height (2 Level)	810/603mm	**Gross/Net Weight**	13.0/11.5kg
		Accessories	2 x Direct Clamp
			2 x Quick Toolless
			Clamp
			2 x Bracket

RRP (RM)	549.00

UPDATED 0422

QUASA
POWERING CHANGE

20V CORDLESS GARDEN TOOLS SERIES

SIRI ALATAN KEBUN TANPA KORD 20V

UPDATED 0422

QUASA
POWERING CHANGE

BKP-20T01 (010272001)

20V CORDLESS 230MM GRASS TRIMMER (BARE UNIT)



- **READY TO USE, LIGHT WEIGHT & IDEAL FOR MOST USERS;**
- **ADJUSTABLE FOLDABLE TELESCOPIC ALUMINIUM TIUB, WITH WHEELS;**
- **ADJUSTABLE HEAD @ DIFFERENT ANGLE FOR DIFFERENT CUTTING USE;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
Max Cutting Ø	230mm	**Recommended Charger**	20V
Motor	Brush Series	**Gross/Net Weight**	
No Load Speed	6000rpm	**Packing**	
Max Stretching Length	340mm		
Line Feed	Automatic		

RRP (RM)	199.00

UPDATED 0422

LCP-CS100 (01040S100)

20V CORDLESS 4” MINI CHAINSAW (BARE UNIT)



- **READY TO USE, LIGHT WEIGHT & IDEAL FOR MOST USERS;**
- **POWERFUL WITH SAFETY BLADE COVER;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
Max Power	550W	**Recommended Charger**	20V
Bar Length	4” (100mm)	**Gross/Net Weight**	1.0/0.9kg
Chain Speed	5 m/s	**Packing**	
Start Switch	Dual		
Motor	Brush Series		

RRP (RM)	99.00

UPDATED 0422

QUASA
POWERING CHANGE

LCB-CP20B (01040P20B)

20V CORDLESS 25MM PRUNER (BARE UNIT)



- READY TO USE, LIGHT WEIGHT & IDEAL FOR MOST USERS;
- BRUSHLESS MOTOR;
- POWERFUL WITH SAFETY BLADE COVER;
- 6-MONTH WARRANTY;

SPECIFICATIONS :

DESRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
Max Power	500W	**Recommended Charger**	20V
Max Cutting Diameter	25mm	**Gross/Net Weight**	
Motor	**Brushless Series**	**Packing**	
		Accessories	Spanner Set
			Blade Sharpener
			Grease

RRP (RM)	299.00

UPDATED 0422

LCB-CP20A (01040P20A)

20V CORDLESS 30MM PRUNER (BARE UNIT)



- **READY TO USE, LIGHT WEIGHT & IDEAL FOR MOST USERS;**
- **BRUSHLESS MOTOR;**
- **POWERFUL WITH SAFETY BLADE COVER;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
Max Power	500W	**Recommended Charger**	20V
Max Cutting Diameter	30mm	**Gross/Net Weight**	
Motor	**Brushless Series**	**Packing**	
		Accessories	Spanner Set
			Blade Sharpener
			Grease

RRP (RM)	349.00

UPDATED 0422

LCB-CS400 (01040S400)

20V CORDLESS 16” CHAINSAW (BARE UNIT)



- **READY TO USE & IDEAL FOR MOST USERS;**
- **POWERFUL BRUSHLESS MOTOR**
- **MECHANICAL BRAKE;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

SPECIFICATIONS		SPECIFICATIONS	
Voltage	20V	**Recommended Battery**	20V 3.0/4.0/6.0Ah
Max Power	1600W	**Recommended Charger**	20V
Bar Length	16” (400mm)	**Gross/Net Weight**	
Chain Speed	1.2 m/s	**Packing**	
Pumping Oil	Automatic		
Chain Adjustment		**Comparison**	
Motor	**Brushless Series**		

RRP (RM)	499.00

UPDATED 0422

LCP-CB20B (01040B20B)

20V CORDLESS LEAF BLOWER (BARE UNIT)



- **READY TO USE, LIGHT WEIGHT & IDEAL FOR MOST USERS;**
- **ELECTRONIC SPEED CONTROLLER;**
- **SELECTOR SWITCH FOR BLOWING;**
- **6-MONTH WARRANTY;**

SPECIFICATIONS :

DESCRIPTION		DESCRIPTION	
Rated Volt	20.0 Volt	**Recommended Battery**	20V 3.0/4.0/6.0Ah
No Load Speed	0-12,000rpm	**Recommended Charger**	20V
Capacity	5.8-10.0 m^3/min	**Gross/Net Weight**	2.1/1.94kg
Rotation Speed		**Packing**	
Catchment Bag			
Oil Tank	80ml		
Accessories			

RRP (RM)	199.00

UPDATED 0422

QUASA
POWERING CHANGE

ACCESSORIES

AKSESORI

UPDATED 0422

QUASA
POWERING CHANGE

LBB-2305C (00140305C)

20V BATTERY – 3.0AH 5C



- COMPATIBLE WITH ALL CORDLESS UNITYCEL·20 SERIES;
- PICK THE RIGHT BATTERY FOR RIGHT TOOL;

RRP (RM)	95.00

LBB-24010 (001404010)

20V BATTERY – 4.0AH 10C



- COMPATIBLE WITH ALL CORDLESS UNITYCEL·20 SERIES;
- PICK THE RIGHT BATTERY FOR RIGHT TOOL;

RRP (RM)	150.00

UPDATED 0422

LCG-20150 (001402150)

20V STAND TYPE CHARGER – 150 MIN



- **COMPATIBLE WITH ALL CORDLESS UNITYCEL·20 SERIES BATTERY;**
- **PICK THE RIGHT BATTERY FOR RIGHT TOOL;**

RRP (RM)	49.00

UPDATED 0422

QUASA
POWERING CHANGE

QUASA® Xtreme

PBP-20415 (001502415)

20V BATTERY – 4.0AH 15C



- COMPATIBLE WITH ALL CORDLESS UNITYCEL·20 SERIES;
- PICK THE RIGHT BATTERY FOR THE RIGHT TOOL;

RRP (RM)	290.00

PCG-20F24 (001502024)

20V STAND TYPE 2.4A FAST CHARGER – 150 MIN



- COMPATIBLE WITH ALL CORDLESS UNITYCEL·20 SERIES BATTERY;
- PICK THE RIGHT BATTERY FOR RIGHT TOOL;

RRP (RM)	100.00

UPDATED 0422

LPA-JIGAD (00140JIAD)

DRILL - JIGSAW CONVERSION KIT



- **COMPATIBLE WITH MOST 20V CORDLESS DRILL;**
- **IDEAL FOR STAND-BY USE;**
- **ECONOMICAL;**
- **NET/GROSS : 0.35/0.38KG;**

RRP (RM)	99.00

UPDATED 0422

QUASA
POWERING CHANGE

ALAT² PEMBERSIHAN

CLEANING EQUIPMENTS



UPDATED 0422

QUASA
POWERING CHANGE



110 BAR DOMESTIC HPC

RRP : RM349.00

HPI-41115	002024471
WATT	1200W
VOLTAGE	240V/50HZ
PRESSURE	110 BAR (MAX)
FLOWRATE	6.0 l/min
MOTOR	INDUCTION
PRESSURE HOSE	PVC-5m
INLET HOSE	-
AUTO	STOP / START
AC CORD	5m
WEIGHT	8.5kg

HPI-51156	002025115
WATT	1800W
VOLTAGE	240V/50HZ
PRESSURE	150 BAR (MAX)
FLOWRATE	6.0 l/min
MOTOR	INDUCTION
PRESSURE HOSE	PVC-8m
INLET HOSE	3m
AUTO	STOP / START
AC CORD	5m
WEIGHT	14.6kg



150 BAR SEMI-PRO HPC

RRP : RM699.00

UPDATED 0422

HPI-M1360 (002451360)

1300W 120 BAR HPC (BEST FOR AIR-COND SERVICING)



- 100% COPPER WIRE INDUCTION MOTOR FOR 5 HOUR CONTINUOUS USAGE;
- TEMPERED SS PLUNGERS & BUILT IN THERMAL PROTECTOR;
- COMPLETE ACCESSORIES & BEST FOR AIR-COND CONTRACTORS;
- LIGHT-WEIGHT BUT HEAVY DUTY UNIT;

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Watt	1300 Watt	With	Auto Stop / Suction
Voltage	240V/1Ph/50Hz	Pressure Hose	6.0m
Motor Type	Induction	Inlet Hose	1.8m
Rated Pressure	80 Bar	AC Cord	3.5m
Max Pressure	120 Bar	G.Weight/N.Weight	10.0 / 8.5kg
Flow Rate (Max)	390 l/hr or 6.5 l/min	Measurement	H400xw220xL290mm
STANDARD ACCESSORIES	SHORT GUN, LANCE, NOZZLE, VARIABLE DIRECTIONAL LANCE, 6M OUTLET PVC HOSE, 1.8M INLET HOSE, QUICK ADAPTOR, WATER FILTER & SOAP BOTTLE. WITH PRESSURE GAUGE.		

RRP (RM)	348.00

the PRIME series & the LAZEE series

NEXT

UPDATED 0422

the PRIME series

QUASA has always been associated with high quality & reliable High Pressure Cleaners **BUT** due to the Covid Pandemic & MCO, we have slowed the development of our HPC series, however we feel that the time is now ripe to re-launch a new series for our loyal users albeit @ a better price, better specs despite the rising prices due to the commodity prices.

why PRIME series ?

if you have been following the **TRANSFORMER** series, the leader of the Pact is **OPTIMUS PRIME**,the heroic leader of the **AUTOBOT**s (the good robots) who fight against the **DECEPTICON**s (the bad robots). **PRIME** a skilled warrior represents braveness, selfless and fearless in defending mankind. Therefore, choosing these characteristics to represent our new HPCs would be a way forward and the new designs of our HPCs are also very close to the characteristics of the AUTOBOTs, hence we call our new launch **the "PRIME"series**.

the PRIME series are created mainly for the **domestic and semi-pro users ie, 1 to 4 hour usage** with close attention to the type of motor, power of motor and the resulting pressure that is produced for an effective wash be it your car, floor or whatever that you wish to clean. A good pump is necessary to ensure that the unit can last a good few years on frequent use. Therefore, we have chosen **the PRIME series** as our re-launch pad as we have carefully selected a factory that can give our users the assurance of **QUALITY & RELIABILITY** coupled with readily available parts @ reasonable price. **the PRIME series** represent sturdiness, reliability and effectiveness in getting rid of dirt & grime and at a very economical price. Pay a visit to our representative dealers and test for yourself.

If you wish to move into a heavier duty realm, try **the LAZEE series**, representing the **semi-professional and professional series** that are for use from **4 to 8 hour continuously**. Ask for advise from our representative dealers for a clearer explanation and recommendations.

PRESENTING



the PRIME series

UPDATED 0422



HPU-12040	002401240
WATT	1500W
VOLTAGE	240V/50HZ
PRESSURE	120 BAR (MAX)
FLOWRATE	6.67 l/min
MOTOR	UNIVERSAL
PRESSURE HOSE	PVC-6m
INLET HOSE	1.8m
AUTO	STOP / START
AC CORD	5m
WEIGHT	3.6kg

1500W 120 BAR HPC

RRP : RM199.00

HPC-11032	002401132
WATT	1200W
VOLTAGE	20V BATTERY
PRESSURE	110 BAR (MAX)
FLOWRATE	5.3 l/min
MOTOR	BRUSHLESS
PRESSURE HOSE	PVC-6m
INLET HOSE	1.8m
BATTERY	20V 6Ah x 1 pc
CHARGER	180 min x 1 pc
WEIGHT	3.2kg



20V 110 BAR C/L HPC

RRP : RM549.00



HPU-1066C	002100610
WATT	2000W
VOLTAGE	240V/50HZ
PRESSURE	160 BAR (MAX)
FLOWRATE	7.2 l/min
MOTOR/PUMP	UNIVERSAL/ALUM
PRESSURE HOSE	PVC-7m 160 BAR
INLET HOSE	2.0m
AUTO	STOP / START
AC CORD	5m
WEIGHT	7.5kg
DIMENSION	320x260x450mm

2000W 160 BAR HPC

RRP : RM333.00

UPDATED 0422

QUASA
POWERING CHANGE



2000W 160 BAR HPC

GROUPS INDENT BASIS

HPU-1076C	002100710
WATT	2000W
VOLTAGE	240V/50HZ
PRESSURE	160 BAR (MAX)
FLOWRATE	7.2 l/min
MOTOR/PUMP	UNIVERSAL/ALUM
PRESSURE HOSE	PVC-7m 160 BAR
INLET HOSE	2.0m
AUTO	STOP / START
AC CORD	5m
WEIGHT	7.5kg
DIMENSION	320x260x450mm

HPU-1086C	002100810
WATT	2000W
VOLTAGE	240V/50HZ
PRESSURE	160 BAR (MAX)
FLOWRATE	7.2 l/min
MOTOR/PUMP	UNIVERSAL/ALUM
PRESSURE HOSE	PVC-7m 160 BAR
INLET HOSE	2.0m
AUTO	STOP / START
AC CORD	5m
WEIGHT	7.5kg
DIMENSION	320x260x450mm



2000W 160 BAR HPC

SPECIAL INDENT ONLY



2200W 170 BAR HPC

RRP : RM555.00

HPI-20417	002100410
WATT	2200W
VOLTAGE	240V/50HZ
PRESSURE	170 BAR (MAX)
FLOWRATE	7.2 l/min
MOTOR/PUMP	INDUCTION/ALUM
PRESSURE HOSE	PVC-8m 180 BAR
INLET HOSE	2.0m
AUTO	STOP / START
AC CORD	5m
WEIGHT	9.4kg
DIMENSION	375x285x480mm

UPDATED 0422

HPI-20418	002100418
WATT	2200W
VOLTAGE	240V/50HZ
PRESSURE	170 BAR (MAX)
FLOWRATE	7.2 l/min
MOTOR/PUMP	INDUCTION
PRESSURE HOSE	PVC-8m 180 BAR
INLET HOSE	2.0m
AUTO	STOP / START
AC CORD	5m
WEIGHT	9.4kg
DIMENSION	375x285x480mm



2200W 170 BAR HPC

SPECIAL INDENT ONLY

UPDATED 0422

the LAZEE series

QUASA has always been associated with high quality & reliable High Pressure Cleaners (HPC) **BUT** due to the Covid Pandemic & MCO, we have slowed the development of our HPC series, however we feel that the time is now ripe to re-launch new items for our loyal users albeit @ a better price, better specs despite the rising prices due to the commodity prices.

why LAZEE series ?

LAZEE here doesn't mean lazy…it only means **lazing series or sleeping or horizontal type of HPCs**. Usually the horizontal types are the heavier duty HPCs due to the bigger components ie, motor and pumps. Its made horizontal due to the weight and dimension of the components. We have long been supplying these HPCs to industries especially **Large Factories** and **Construction Sites** and **Car Wash Operators** due to the long usage time. Therefore, understanding the designs and components are paramount to selection of a proper & reliable series for use in these heavy industries.

We have added two new items to our **LAZEE** series due to the demand in **Small Medium Industries and Car Wash operators**. The **price is obviously the attraction** but essentially the use of high quality components ie., the motor and pump are the driving factors that paved the way for our introduction of **JHP-G0212** and **JHP-G4006.** These two units carry the components that made them classified as semi-professional units hence allowing users to use at least 4 hour continuously. Besides, the patented **Auto-Stop** feature and **Thermal Protector** allow the users unlimited possibilities as the motors and pumps are protected for mid to long term use.

PRESENTING



the LAZEE series

UPDATED 0422

QUASA
POWERING CHANGE



1700W 140 BAR HPC

RRP : RM799.00

JHP-0212	002340212
WATT	1700W
VOLTAGE	240V/50HZ
PRESSURE	140 BAR (MAX)
FLOWRATE	7.0 l/min
MOTOR	INDUCTION
PRESSURE HOSE	3 LAYER PVC-7m
INLET HOSE	2.0m
AUTO	STOP / START
AC CORD	5m
WEIGHT	25.5kg

JHP-G4006	002344006
WATT	2000W
VOLTAGE	240V/50HZ
PRESSURE	120 BAR (MAX)
FLOWRATE	10.0 l/min
MOTOR	INDUCTION
PRESSURE HOSE	HYDRAULIC-8m
INLET HOSE	2.0m
AUTO	STOP / START
AC CORD	5m
WEIGHT	36.0kg



2000W 120 BAR S/P HPC

RRP : RM1,090.00



2500W 110 BAR PRO HPC

RRP : RM1,990.00

JHP-X2016	002342016
WATT	2500W
VOLTAGE	240V/50HZ
PRESSURE	110 BAR (MAX)
FLOWRATE	12.0 l/min
MOTOR	INDUCTION
PRESSURE HOSE	HYDRAULIC-10m
INLET HOSE	3.0m
AUTO	STOP / START
AC CORD	5m
WEIGHT	33.2kg

UPDATED 0422

QUASA
POWERING CHANGE



3000W 110 BAR PRO HPC

RRP : RM1,890.00

HPL-T22MA	0021422MA
WATT	3000W
VOLTAGE	240V/50HZ
PRESSURE	110 BAR (MAX)
FLOWRATE	11.8 l/min
MOTOR	INDUCTION
PRESSURE HOSE	HYDRAULIC-10m
INLET HOSE	3.0m
AUTO	STOP / START
AC CORD	5m
WEIGHT	47.0kg

JHP-T6018	002346018
WATT	3700W
VOLTAGE	240V/50HZ
PRESSURE	180 BAR (MAX)
FLOWRATE	13.0 l/min
MOTOR	INDUCTION
PRESSURE HOSE	HYDRAULIC-10m
INLET HOSE	3.0m
AUTO	STOP / START
AC CORD	5m
WEIGHT	37.0kg



3700W 180 BAR PRO HPC

RRP : RM2,990.00

the BO·AC series

NEXT

UPDATED 0422



JHP-Q2717	00234E150
POWER	7.0HP PETROL
PRESSURE	150 BAR (MAX)
FLOWRATE	11.0 l/min
PRESSURE HOSE	HYDRAULIC-8m
INLET HOSE	3.0m
AUTO	-
WEIGHT	36.0kg

7HP 150 BAR PETROL HPC

RRP : RM1,490.00

JHE-E350B	00234E350
POWER	10.0HP DIESEL
PRESSURE	350 BAR (MAX)
FLOWRATE	13.0 l/min
PRESSURE HOSE	HYDRAULIC-15m
INLET HOSE	3.0m
AUTO	STOP / START
WEIGHT	49.0kg



16HP 350 BAR DIESEL HPC

RRP : RM4,990.00

OTHER CLEANING EQUIPMENTS

NEXT

UPDATED 0422

QUASA
POWERING CHANGE

HSC-W618B (00213618B)

2000W DOMESTIC STEAM CLEANER





ACCESSORIES :



- LONGER LASTING HIGH WATTAGE MOTOR
- COMPLETE ACCESSORIES FOR MANY APPLICATIONS
- BUILT-IN THERMAL PROTECTOR
- BIG TANK FOR LONGER APPLICATION
- OMNI DIRECTIONAL WHEEL FOR EASY MOVEMENT
- BRANDED QUALITY

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Watt	2000 Watt	On/Off Switch	Water Proof
Voltage	240V/1 Ph/50hz	Thermostat	160 degrees cut-off
Working Pressure	5 Bar Max	Hose	1.45m
Tank Capacity	1.8 litre	G.Weight/N.Weight	kg
Warm Up Time	8 minutes	Measurement	H380xW390xL460mm
AC Cable Length	2.5m		

RRP (RM)	399.00

UPDATED 0422

QUASA
POWERING CHANGE

SNOW WASH, VACUUM & BLOWER

NEXT

UPDATED 0422

QUASA
POWERING CHANGE



FYP-34802	002223482
TANK SIZE	70 LITRE
STEEL TYPE	SS304
VALVE	BALL (BRASS)
PRESSURE	0.1 MPa
THICKNESS	1.2mm
WEIGHT	12kg

70L SS304 SNOW WASH

RRP : RM449.00

WDV-67301	002026730
WATT	1000W
VOLTAGE	240V/50HZ
TANK TYPE / SIZE	SS PLATED / 30L
BLADE SIZE	355mm
AIR FLOW	1.8 – 1.9 m^3/min
PRESSURE	16-18 kpa
NOISE	70-74 dBA
HOSE	2.5m
AC CORD	5.0m
WEIGHT	7.2kg



1000W 30L W&D VACUUM

RRP : RM299.00



AMY-LB011	002020011
WATT	600W COPPER
VOLTAGE	240V/50HZ
AIR FLOW	70-90 m^3/min
NOISE LEVEL	65dBA
AC CORD	5.0m
WEIGHT	12.0kg

600W PRO AIR MOVER

RRP : RM549.00

UPDATED 0422

MWD-1K12P (00208112P)

1000W DOMESTIC VACUUM CLEANER



ACCESSORIES :

 Φ32mmx1.5m Flexible Hose	 Φ32mm*3pcs plastic tubes	  Cloth Filter + Sponge Filter
 Φ32mm Wet/Dry Floor Brush	 Φ32mm 2 in 1 nozzle tool	 4pcs bases with wheels

FEATURES :

- IDEAL FOR HOME / DIY USE
- COMPLETE WITH ACCESSORIES
- BUILT-IN THERMAL PROTECTOR
- OMNI DIRECTIONAL WHEEL FOR EASY MOVEMENT
- BRANDED QUALITY

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Watt	1000 Watt	AC Cable Length	3.0m
Voltage	240V/1 Ph/50hz	Flex Hose Length	Φ32mm x 1.5m
Working Pressure	16 Kpa		
Tank Capacity	12 litre	G.Weight/N.Weight	4.05 / 3.45kg
Air Flow Rate	1.5 m^3/min	Measurement	H280xW280xL380mm
Noise Level	76dBA	Loading Quantity	985/20', 2050/40', 2350/40'HQ

RRP (RM)	199.00

UPDATED 0422

MWD-1K30S (00208130S)

1000W 30 LITRE WET & DRY VACUUM CLEANER



ACCESSORIES :

 Φ32mmx1.5m Flexible Hose	 Φ32mm*2pcs plastic tubes	 Hepa+Sponge Filter
 Φ32mm Wet/Dry Floor Brush	 Φ32mm 2 in 1 Nozzle Tool	With Blowing Function

FEATURES :

- IDEAL FOR CAR WASH/SMALL WORKSHOPS/HOME USE
- COMPLETE WITH ACCESSORIES
- BUILT-IN THERMAL PROTECTOR
- OMNI DIRECTIONAL WHEEL FOR EASY MOVEMENT
- BRANDED QUALITY

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Watt	1200 Watt	AC Cable Length	3.5m
Voltage	240V/1 Ph/50hz	Flex Hose Length	Φ32mm x 2.5m
Working Pressure	16 Kpa		
Tank Capacity	30 litre SS410 0.4mm	G.Weight/N.Weight	6.15 / 5.25kg
Air Flow Rate	2.0 m^3/min	Measurement	H335xW335Xl580mm
Noise Level	76dBA	Loading Quantity	

RRP (RM)	249.00

UPDATED 0422

MWD-18140 (002088140)

1200W 40 LITRE WET & DRY VACUUM CLEANER



ACCESSORIES :

 Φ32mmx1.5m Flexible Hose	 Φ32mm*1pc SS tubes	 Hepa & Sponge Filter
 Φ32mm Wet/Dry Floor Brush	 Φ32mm Round Brush	 Φ32mm Crevice Nozzle

FEATURES :

- IDEAL FOR CAR WASH/SMALL WORKSHOPS
- COMPLETE WITH ACCESSORIES
- BUILT-IN THERMAL PROTECTOR
- OMNI DIRECTIONAL WHEEL FOR EASY MOVEMENT
- 100% COPPER DOUBLE STAGE MOTOR EQUIVALENT TO BRANDED QUALITY

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Watt	1200 Watt	AC Cable Length	3.5m
Voltage	240V/1 Ph/50hz	Flex Hose Length	Φ32mm x 2.5m
Working Pressure	18 Kpa		
Tank Capacity	40 litre SS410 0.4mm	G.Weight/N.Weight	6.55 / 5.65kg
Air Flow Rate	1.8 m^3/min	Measurement	H345xW335xL450mm
Noise Level	80dBA	Loading Quantity	

RRP (RM)	399.00

UPDATED 0422

MWD-18160 (002088160)

1800W 60 LITRE WET & DRY VACUUM CLEANER



ACCESSORIES :

 Φ32mmx1.5m Flexible Hose	 Φ32mm*1pc SS tubes	 Hepa & Sponge Filter
 Φ32mm Wet/Dry Floor Brush	 Φ32mm Round Brush	 Φ32mm Crevice Nozzle

FEATURES :

- IDEAL FOR CAR WASH/SMALL WORKSHOPS
- COMPLETE WITH ACCESSORIES
- BUILT-IN THERMAL PROTECTOR
- OMNI DIRECTIONAL WHEEL FOR EASY MOVEMENT
- 100% COPPER DOUBLE STAGE MOTOR EQUIVALENT TO BRANDED QUALITY

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Watt	1800 Watt	AC Cable Length	3.5m
Voltage	240V/1 Ph/50hz	Flex Hose Length	Φ32mm x 2.5m
Working Pressure	22 Kpa		
Tank Capacity	60 litre SS410 0.4mm	G.Weight/N.Weight	8.25 / 7.05kg
Air Flow Rate	2.0 m^3/min	Measurement	H340xW330xL520mm
Noise Level	80dBA	Loading Quantity	

RRP (RM)	599.00

UPDATED 0422

QUASA
POWERING CHANGE

AKSESORI
ALAT² PEMBERSIHAN

CLEANING
EQUIPMENTS

ACCESSORIES

UPDATED 0422

QUASA
POWERING CHANGE

HPU-12040 (002401240)

ACCESSORIES

 **OUTLET ADAPTER** **P/NO : 002400TAR** **LP : RM9.00**	 **1.8M INLET HOSE** **P/NO : 00240INHS** **LP : RM15.00**	 **HOSE CONNECTOR** **P/NO : 00240HSCR** **LP : RM9.00**
 **FILTER** **P/NO : 00240FILR** **LP : RM15.00**	 **INLET CONNECTOR** **P/NO : 00240INCR** **LP : RM8.00**	 **PIN** **P/NO : 002400PIN** **LP : RM5.00**
 **SBT-12040-SOAP BOTTLE** **P/NO : 00240SOBT** **LP : RM20.00**	 **GUN** **P/NO : 002400GUN** **LP : RM56.00**	 **6.0M HIGH PRESSURE HOSE** **P/NO : 00240HS6M** **LP : RM99.00**
 **LAN-12040-LANCE** **P/NO : 00240LANC** **LP : RM35.00**	 **NOZZLE** **P/NO : 00240NOZE** **LP : RM50.00**	

UPDATED 0422

QUASA
POWERING CHANGE

HPI-M1360 (002451360)

ACCESSORIES

 **OUTLET ADAPTER** **P/NO : 002400TAR** **LP : RM9.00**	 **1.8M INLET HOSE** **P/NO : 00240INHS** **LP : RM15.00**	 **HOSE CONNECTOR** **P/NO : 00240HSCR** **LP : RM9.00**
 **FILTER** **P/NO : 00240FILR** **LP : RM15.00**	 **INLET CONNECTOR** **P/NO : 00240INCR** **LP : RM8.00**	 **PIN** **P/NO : 002400PIN** **LP : RM5.00**
 **SBT-12040-SOAP BOTTLE** **P/NO : 00240SOBT** **LP : RM20.00**	 **GUN** **P/NO : 002400GUN** **LP : RM56.00**	 **6.0M HIGH PRESSURE HOSE** **P/NO : 00240HS6M** **LP : RM99.00**
 **LAN-12040-LANCE** **P/NO : 00240LANC** **LP : RM35.00**	 **NOZZLE** **P/NO : 00240NOZE** **LP : RM50.00**	 **360° SHORT LANCE** **P/NO : 00240360L** **LP : RM50.00**

UPDATED 0422

QUASA
POWERING CHANGE

HPU-1066C/1076C (002100610/710)

ACCESSORIES

 **OUTLET ADAPTER** **P/NO : 002400TAR** **LP : RM9.00**	 **1.8M INLET HOSE** **P/NO : 00240INHS** **LP : RM15.00**	 **HOSE CONNECTOR** **P/NO : 00240HSCR** **LP : RM9.00**
 **FILTER** **P/NO : 00240FILR** **LP : RM15.00**	 **INLET CONNECTOR** **P/NO : 00240INCR** **LP : RM8.00**	 **PIN** **P/NO : 002400PIN** **LP : RM5.00**
 **7.0M HIGH PRESSURE HOSE** **P/NO : 00210HG11-HO7** **LP : RM95.00**	 **GUN** **P/NO : 00210HG11-GUN** **LP : RM70.00**	 **LANCE** **P/NO : 00210HG11-LAN** **LP : RM43.00**
 **FAN NOZZLE** **P/NO : 00210HG11-NOZ** **LP : RM35.00**	 **TURBO NOZZLE** **P/NO : 00210HG11-TNZ** **LP : RM45.00**	 **SOAP BOTTLE** **P/NO : 002100000-SOB** **LP : RM30.00**

UPDATED 0422

QUASA
POWERING CHANGE

JHP-X2016/T6018 (002342016/6018)

ACCESSORIES

 **INLET HOSE** **P/NO :** **LP : RM0.00**	 **10M HIGH PRESSURE HOSE** **P/NO :** **LP : RM0.00**	 **FILTER** **P/NO :** **LP : RM0.00**
 **FILTER** **P/NO :** **LP : RM.00**	 **GUN (T6018)** **P/NO : 6018-033(4J500)** **LP : RM276.00**	 **GUN (X2016)** **P/NO : 2016-033(4J300)** **LP : RM186.30**
 **LANCE (X2016/ T6018)** **P/NO : 6018-034** **LP : RM170.40**	 **5 IN 1 NOZZLE** **P/NO : 6018-035** **LP : RM218.50**	 **3 IN 1 NOZZLE (X2016)** **P/NO : 2016-034** **LP : RM148.50**

UPDATED 0422

QUASA
POWERING CHANGE

PEMAMPAT UDARA & ALATAN UDARA



AIR COMPRESSORS & AIR TOOLS

UPDATED 0422

QUASA
POWERING CHANGE



MODEL		HBS-20512	HBS-20652	HBS-30652	HBT-30652
STOCK CODE		003012511	003012651	003013651	003013653
MOTOR (HP/Kw)		2.0 / 1.5	2.0 / 1.5	3.0 / 2.2	3.0 / 2.2
MOTOR SPEED (rpm)		3000	1500	3000	3000
VOLT(V)/PHASE(Ph)/FRE.(Hz)		240V/1Ph/50Hz	240V/1Ph/50Hz	240V/1Ph/50Hz	415V/3Ph/50Hz
AIR DELIVERY (m^3/min)		0.08	0.25	0.25	0.25
CYLINDER DIA (mm) x No.		51 x 2	65 x 2	65 x 2	65 x 2
PRESSURE (MPA/Psi)		0.8 / 115	0.8 / 115	0.8 / 115	0.8 / 115
TANK CAPACITY (ltr)		62	85	115	115
SHELL THICKNESS (mm)		3.0	3.0	3.0	3.0
DISC THICKNESS (mm)		3.0	3.0	3.0	3.0
TIME TO FILL TANK TO 8 BAR		4m 30s	3m	3m	3m
BARE HEAD NW (kg)		42	42	42	42
BARE HEAD DIM. – cm		73 x 47 x 46	73 x 48 x 48	73 x 48 x 48	81 x 49 x 48
TANK NW (kg)		27	34	40	40
COMPLETE GW/NW		61 / 65	77 / 82	85 / 86	85 /86
COMPLETE DIMENSION - cm		100 x 33 x 72	110 x 40 x 80	115 x 43 x 90	115 x 43 x 90
RRP (RM)		N/A	N/A	3,190	3,190

UPDATED 0422

QUASA
POWERING CHANGE





MODEL		HBT-55902	HBT-75803	HBT-10903	HBT-15103
STOCK CODE		003015903	003017803	003011093	003011513
MOTOR (HP/Kw)		5.5 / 4.0	7.5 / 5.5	10.0 / 7.5	15.0 / 11.0
MOTOR SPEED (rpm)		1500	1500	1500	1500
VOLT(V)/PHASE(Ph)/FRE.(Hz)		415V/3Ph/50Hz	415V/3Ph/50Hz	415V/3Ph/50Hz	415V/3Ph/50Hz
AIR DELIVERY (m^3/min)		0.48	0.67	0.90	1.40
CYLINDER DIA (mm) x No.		90 x 2	80 x 3	90 x 3	100 x 3
PRESSURE (MPA/Psi)		0.8 / 115	0.8 / 115	0.8 / 115	0.8 / 115
TANK CAPACITY (ltr)		170	170	300	300
SHELL THICKNESS (mm)		3.7	3.7	3.7	3.7
DISC THICKNESS (mm)		3.7	3.7	3.7	3.7
TIME TO FILL TANK TO 8 BAR		3m	2m	2m 30s	1m 20s
BARE HEAD NW (kg)		132	137	170	255
BARE HEAD DIM. – cm		123 x 59 x 60	136 x 69 x 60	136 x 59 x 64	144 x 70 x 83
TANK NW (kg)					
COMPLETE GW/NW		180	185	255	340
COMPLETE DIMENSION - cm		155 x 48 x 95	155 x 48 x 100	193 x 54 x 112	193 x 65 x 127
RRP (RM)		4,900	6,490	8,490	9,900

UPDATED 0422

QUASA
POWERING CHANGE



ZDI-0504K	00316504K
SQ. DRIVE	½”
BOLT CAPACITY	5/8” (16mm)
FREE SPEED	7000rpm
MAX TORQUE	260 ft.lb
SOUND LEVEL	94 dBA
VIBRATION	10.4 m/s²
AIR PRESSURE	90 psi
AIR INLET	¼”
AIR CONSUMPTION	4.5 CFM
NW / GW	4.25 / 4.5kg

½” AIR IMP WRENCH + KIT

RRP : RM249.00

ZKI-0507I	003160507
SQ. DRIVE	½”
BOLT CAPACITY	5/8” (16mm)
FREE SPEED	7000rpm
MAX TORQUE	420 ft.lb
SOUND LEVEL	96 dBA
VIBRATION	9.0 m/s²
AIR PRESSURE	90 psi
AIR INLET	¼”
AIR CONSUMPTION	4.5 CFM
NW / GW	4.5 / 4.8kg



½” HD AIR IMP WRENCH

RRP : RM349.00



ZKI-508E1	00316508E
SQ. DRIVE	¾ ”
BOLT CAPACITY	1” (25.4mm)
FREE SPEED	4600rpm
MAX TORQUE	1100 ft.lb
SOUND LEVEL	90 dBA
VIBRATION	6.1 m/s²
AIR PRESSURE	90 psi
AIR INLET	3/8 “
AIR CONSUMPTION	9.0 CFM
NW / GW	5.6 / 6.0kg

¾” HD AIR IMPACT WRE

RRP : RM990.00

UPDATED 0422

QUASA
POWERING CHANGE



MADE IN TAIWAN

¼" AIR DIE GRINDER

RRP : RM99.00

ZKG-02202	003162202
SQ. DRIVE	
COLLET SIZE	1/8-1/4"(3-6mm)
FREE SPEED	22000rpm
MAX TORQUE	
SOUND LEVEL	92 dBA
VIBRATION	8.1 m/s²
AIR PRESSURE	90 psi
AIR INLET	¼"
AIR CONSUMPTION	4.0 CFM
AIR EXHAUST	REAR
NW / GW	0.58 / 0.7kg

ZKG-2202K	00316202K
SQ. DRIVE	
COLLET SIZE	1/8-1/4"(3-6mm)
FREE SPEED	22000rpm
MAX TORQUE	
SOUND LEVEL	92 dBA
VIBRATION	8.1 m/s²
AIR PRESSURE	90 psi
AIR INLET	¼"
AIR CONSUMPTION	4.0 CFM
AIR EXHAUST	REAR
NW / GW	0.58 / 1.2kg



MADE IN TAIWAN

¼" AIR DIE GRIN + KIT

RRP : RM139.00

UPDATED 0422

QUASA
POWERING CHANGE

PAM AIR

ELEKTRIK



ELECTRIC

WATER PUMP

UPDATED 0422

QUASA
POWERING CHANGE



0.5HP 1” x 1” PUMP

RRP : RM0.00

TPA-QB060	00404QB60
POWER	0.5hp/0.37kW
AMPERE	2.6
RPM	2850
Q.MAX(1 MIN)	35m
H.MAX	35m
S.HEAD	9m
PIPE DIAMETER	1” x 1”
IMPELLAR	BRASS
INS./PROTECTION	CLASS B / IP44
MECHANICAL SEAL	Φ12 CERAMIC
WEIGHT	5.8kg

TPA-PM158	00404M158
POWER	1.0hp/0.75kW
AMPERE	5
RPM	2850
Q.MAX(1 MIN)	120m
H.MAX	34m
S.HEAD	9m
PIPE DIAMETER	1” x 1”
IMPELLAR	BRASS
INS./PROTECTION	CLASS B / IP44
MECHANICAL SEAL	Φ12,14,16 CERAMIC
WEIGHT	14.7kg



1.0HP 1” x 1” PUMP

RRP : RM0.00



0.5HP 1” x 1” AUTO PUMP

RRP : RM0.00

TPC-PS126	00404S126
POWER	0.5hp/0.37kW
AMPERE	2.7
RPM	2850
Q.MAX(1 MIN)	33m
H.MAX	32m
S.HEAD	9m
PIPE DIAMETER	1” x 1”
IMPELLAR	BRASS
INS./PROTECTION	CLASS B / IP44
MECHANICAL SEAL	Φ12 CERAMIC
WEIGHT	7.5kg

UPDATED 0422

QUASA
POWERING CHANGE



3.0HP 1” x 1” PUMP

RRP : RM659.00

TPC-PM200	00404M200
POWER	3.0/2.2kW
AMPERE	13.5
RPM	2850
Q.MAX(1 MIN)	135m
H.MAX	55m
S.HEAD	9m
PIPE DIAMETER	1” x 1”
IMPELLAR	BRASS
INS./PROTECTION	CLASS B / IP44
MECHANICAL SEAL	Φ12,14,16 CER.
WEIGHT	27kg

TCP-1POL1	00404POL1
POWER	1.8kW
STARTING	1.5 – 3.0 BAR
MAX	10 BAR
PROTECTION	IP65
INPUT VOLTAGE	220-250V
FREQUENCY	50Hz
WEIGHT	1.0kg



PRESS. SWITCH – 1HP

RRP : RM149.00



2.0HP 2” x 2” PUMP

RRP : RM499.00

TPC-DK20T	00404DK20
POWER	2.0hp/1.5kW
AMPERE	9.6
RPM	2850
Q.MAX(1 MIN)	400m
H.MAX	20m
S.HEAD	9m
PIPE DIAMETER	2” x 2”
IMPELLAR	BRASS
INS./PROTECTION	CLASS B / IP44
MECHANICAL SEAL	Φ12,14,16 CER.
WEIGHT	24.5kg

UPDATED 0422

QUASA
POWERING CHANGE



5.5HP PETROL ENGINE

RRP : RM499.00

TMC-J100M	00404J10M
POWER	1.0hp/0.75kW
AMPERE	4.8
RPM	2850
Q.MAX(1 MIN)	60m
H.MAX	48m
S.HEAD	9m
PIPE DIAMETER	1" x 1"
IMPELLAR	BRASS
INS./PROTECTION	CLASS B / IP44
MECHANICAL SEAL	Φ12,16 CERAMIC
WEIGHT	17.5kg

TPC-PP125	00404P125
POWER	125W / 2850rpm
Q.MAX(1 MIN)	10m
H.MAX	19m
S.HEAD	9m
CAPACITY	20 l/m @ 9m
	18 l/m @ 12m
PRESSURE SWITCH	1.1-1.8 kgf/cm²
PIPE DIAMETER	1" x 1"
IMPELLAR	BRASS
INS./PROTECTION	CLASS B / IP44
WEIGHT	9.0kg



125W AUTO PUMP

RRP : RM399.00



0.55Kw SS M.STAGE PUMP

RRP : RM0.00

SPC-BW025	00423BW25
POWER	0.55kW
PIPE DIAMETER	1" x 1"
RATED FLOW	2m³h
RATED HEAD	37.5m
HEAD MAX	
S.HEAD	
NOISE LEVEL	57dBA
IMPELLAR	SS
INS./PROTECTION	CLASS F/IP55
MECHANICAL SEAL	HARD ALLOY
	FLUORIN RUBBER
WEIGHT	12kg

UPDATED 0422

QUASA
POWERING CHANGE



0.75Kw SS M.STAGE PUMP

RRP : RM0.00

SPC-BW044	00423BW44
POWER	0.75kW
PIPE DIAMETER	1 ¼ ” x 1”
RATED FLOW	4m³h
RATED HEAD	32.0m
HEAD MAX	
S.HEAD	
NOISE LEVEL	56dBA
IMPELLAR	SS
INS./PROTECTION	CLASS F/IP55
MECHANICAL SEAL	HARD ALLOY
	FLUORIN RUBBER
WEIGHT	14kg

SPC-BWJ25	00423WJ25
POWER	0.55kW
PIPE DIAMETER	1” x 1”
RATED FLOW	2m³h
RATED HEAD	37.5m
HEAD MAX	
S.HEAD	
NOISE LEVEL	57dBA
IMPELLAR	SS
INS./PROTECTION	CLASS F/IP55
MECHANICAL SEAL	HARD ALLOY
	FLUORIN RUBBER
WEIGHT	11kg



0.55Kw SS MS PUMP

RRP : RM0.00



0.75Kw SS M.STAGE PUMP

RRP : RM0.00

SPC-BWJ44	00423WJ44
POWER	0.75kW
PIPE DIAMETER	1” x 1”
RATED FLOW	4m³h
RATED HEAD	32.0m
HEAD MAX	
S.HEAD	
NOISE LEVEL	56dBA
IMPELLAR	SS
INS./PROTECTION	CLASS F/IP55
MECHANICAL SEAL	HARD ALLOY
	FLUORIN RUBBER
WEIGHT	14kg

UPDATED 0422

QUASA
POWERING CHANGE



0.37Kw SS M.STAGE PUMP

RRP : RM699.00 (WITH PC)

SPC-BW023	00423BW23
POWER	0.37kW
PIPE DIAMETER	1" x 1"
RATED FLOW	2m³h
RATED HEAD	22.0m
HEAD MAX	28m
MAX PRESSURE	5.5BAR
NOISE LEVEL	57dBA
IMPELLAR	SS
INS./PROTECTION	CLASS F/IP55
MECHANICAL SEAL	HARD ALLOY
	FLUORIN RUBBER
WEIGHT	12kg

SPC-BW23P	00423B23P
POWER	0.37kW
PIPE DIAMETER	1" x 1"
RATED FLOW	2m³h
RATED HEAD	22.0m
HEAD MAX	28m
MAX PRESSURE	5.5BAR
NOISE LEVEL	56dBA
IMPELLAR	SS
INS./PROTECTION	CLASS F/IP55
MECHANICAL SEAL	HARD ALLOY
	FLUORIN RUBBER
WEIGHT	10.3kg



0.37Kw SS MS PUMP

RRP : RM619.00



0.37Kw SS MS PUMP

RRP : RM729.00 (WITH PC)

SPC-BWJ23	00423WJ23
POWER	0.37kW
PIPE DIAMETER	1" x 1"
RATED FLOW	2m³h
RATED HEAD	22.0m
HEAD MAX	28.0m
MAX PRESSURE	5.5BAR
NOISE LEVEL	57dBA
IMPELLAR	SS
INS./PROTECTION	CLASS F/IP55
MECHANICAL SEAL	HARD ALLOY
	FLUORIN RUBBER
WEIGHT	11kg

UPDATED 0422

QUASA
POWERING CHANGE



0.37Kw SS MS PUMP

RRP : RM629.00

SPC-WJ23P	00423J23P
POWER	0.37kW
PIPE DIAMETER	1” x 1”
RATED FLOW	2m³h
RATED HEAD	22.0m
HEAD MAX	28.0m
MAX PRESSURE	5.5BAR
NOISE LEVEL	56dBA
IMPELLAR	SS
INS./PROTECTION	CLASS F/IP55
MECHANICAL SEAL	HARD ALLOY
	FLUORIN RUBBER
WEIGHT	9.3kg

UPDATED 0422

QUASA
POWERING CHANGE

PETROL & DIESEL

ENGINES·GENSETS·PUMPS·WELDING



INJIN·PENJANA·PAM·WELDING

PETROL & DIESEL

UPDATED 0422

QUASA
POWERING CHANGE



5.5HP PETROL ENGINE

RRP : RM419.00

UPE-168Q1/P1	00512168Q/P
POWER	5.5hp
TYPE	4-ST AIR COOL
FUEL TANK	3.6 lit
CONSUMPTION	417.1 g/kWhr
LUBE TYPE / OIL	SAE10W-30 / 0.6 lit
NOISE	90dBA
MAX OUTPUT	5.5hp / 3600rpm
MAX TORQUE	10.11Nm / 3600rpm
PLUG TYPE	F6TC
STARTER	RECOIL
WEIGHT	18kg

UPE-170Q1/P1	00512170Q/P
POWER	7.0hp
TYPE	4-ST AIR COOL
FUEL TANK	3.6 lit
CONSUMPTION	360 g/kWhr
LUBE TYPE / OIL	SAE10W-30 / 0.6 lit
NOISE	80dBA
MAX OUTPUT	7.0hp / 3600rpm
MAX TORQUE	10.82Nm / 3600rpm
PLUG TYPE	F6TC
STARTER	RECOIL
WEIGHT	18kg



7.0HP PETROL ENGINE

RRP : RM459.00



9.0HP PETROL ENGINE

RRP : RM799.00

UPE-177Q1	00512177Q
POWER	9.0hp
TYPE	4-ST AIR COOL
FUEL TANK	6.0 lit
CONSUMPTION	360 g/kWhr
LUBE TYPE / OIL	SAE10W-30 / 1.1 lit
NOISE	86dBA
MAX OUTPUT	9.0hp / 3600rpm
MAX TORQUE	14.39Nm / 3600rpm
PLUG TYPE	F7TC
STARTER	RECOIL
WEIGHT	27kg

UPDATED 0422

QUASA
POWERING CHANGE



13.0HP PETROL ENGINE

RRP : RM1,090.00

UPE-188Q1	00512188Q
POWER	13.0hp
TYPE	4-ST AIR COOL
FUEL TANK	6.5 lit
CONSUMPTION	353.9 g/kWhr
LUBE TYPE / OIL	SAE10W-30 / 1.1 lit
NOISE	90dBA
MAX OUTPUT	13.0hp / 3600rpm
MAX TORQUE	21.27Nm / 3600rpm
PLUG TYPE	F7TC
STARTER	RECOIL
WEIGHT	33kg

UPG-1000G	005121000
RATED OUTPUT	0.75KW
MAX OUTPUT	0.85KW
POWER FACTOR	1.0
FUEL TANK / MIX	4.2 LTR / 50 : 1
WORK HOUR	5.8 HOUR
ENGINE TYPE/MODEL	2-ST / UP65
PLUG TYPE	F5TC
NOISE LEVEL	92dBA
STARTER	RECOIL
WEIGHT	18.5 KG



750W 2-ST PETROL GENSET

RRP : RM499.00



1000W 4-ST PETROL GENSET

RRP : RM699.00

UPG-1300G/A	005121300
RATED OUTPUT	0.90KW
MAX OUTPUT	1.10KW
POWER FACTOR	1.0
FUEL TANK	6.0 ltr
WORK HOUR	6.0 HOUR
ENGINE TYPE/MODEL	4-ST / UP154
PLUG TYPE	E6TC
NOISE LEVEL	93dBA
LUBE TYPE / OIL	SAE10W-30 / 0.4 ltr
STARTER	RECOIL
WEIGHT	28.0 KG

UPDATED 0422

QUASA
POWERING CHANGE



5000W PETROL GENSET

RRP : RM2,490.00

UPG-6300G	005126300
RATED OUTPUT	5.0KW
MAX OUTPUT	5.5KW
POWER FACTOR	1.0
FUEL TANK	25.0 ltr
WORK HOUR	10.0 HOUR
ENGINE TYPE/MODEL	4-ST / UP188
PLUG TYPE	F7TC
NOISE LEVEL	96dBA
LUBE TYPE / OIL	SAE10W-30 / 1.1 ltr
STARTER	KEY / RECOIL
WEIGHT	82.0 KG

UPG-7300G	005127300
RATED OUTPUT	5.8KW
MAX OUTPUT	6.5KW
POWER FACTOR	1.0
FUEL TANK	25.0 ltr
WORK HOUR	10.0 HOUR
ENGINE TYPE/MODEL	4-ST / UP190
PLUG TYPE	E6TC
NOISE LEVEL	96dBA
LUBE TYPE / OIL	SAE10W-30 / 1.1 ltr
STARTER	KEY / RECOIL
WEIGHT	85.0 KG



6000W PETROL GENSET

RRP : RM2,790.00



160A PETROL WELDER GENSET

RRP : RM1,990.00

UPW-160GW	0051216GW
RATED OUTPUT	1.0KW
POWER FACTOR	1.0
FUEL TANK	6.0 LTR
WORK HOUR	5.0 HOUR
ENGINE TYPE/MODEL	4-ST-7.0HP / UP170
PLUG TYPE	A7RTC
LUBE OIL / VOLUME	SAE 15W-40 / 0.6 ltr
WELD CURRENT	50-160A
NOISE LEVEL	73dBA
STARTER	RECOIL
WEIGHT	34.0 KG

UPDATED 0422

QUASA
POWERING CHANGE



2.0Kw PETROL INV GENSET

RRP : RM2,100.00

UPI-2400S	005122400
RATED OUTPUT	1.8KW
MAX OUTPUT	2.0KW
POWER FACTOR	1.0
DC CURRENT	5 Amp
FUEL TANK	4.5 ltr
WORK HOUR	3.6 HOUR
ENGINE TYPE/MODEL	4-ST / UP160
PLUG TYPE	A7RTC
NOISE LEVEL	73dBA
LUBE TYPE / OIL	SAE15W-40 / 0.4 ltr
STARTER	RECOIL
WEIGHT	22.0kg

UPI-3600S	00512361G
RATED OUTPUT	2.8KW
MAX OUTPUT	3.0KW
POWER FACTOR	1.0
DC CURRENT	8.3 Amp
FUEL TANK	10.0 ltr
WORK HOUR	5.0 HOUR
ENGINE TYPE/MODEL	4-ST / UP170
PLUG TYPE	A7RTC
NOISE LEVEL	73dBA
LUBE TYPE / OIL	SAE15W-40 / 1.1ltr
STARTER	RECOIL
WEIGHT	47.1kg



3.0kW PETROL INV GENSET

RRP : RM3,100.00



2” ENGINE PUMP

RRP : RM590.00

UPP-0050E	005120050
SUCTION / RATED	50mm(2”)/36m³/hr
SELF-PRIME TIME	70 S/4m
MAX HEAD/SUCTION	28m/8m
FUEL TANK	3.6 ltr
WORK HOUR	5.0 HOUR
ENGINE TYPE/MODEL	4-ST-5.5HP / UP168
LUBE OIL / VOLUME	SAE 10W-30 / 0.6 ltr
PLUG TYPE	F6TC
STARTER	RECOIL
WEIGHT	24.0 KG

UPDATED 0422

QUASA
POWERING CHANGE



3” ENGINE PUMP

RRP : RM690.00

UPP-0080E	005120080
SUCTION / RATED	80mm(3”)/60m³/hr
SELF-PRIME TIME	120 S/4m
MAX HEAD/SUCTION	26m/6m
FUEL TANK	3.6 ltr
WORK HOUR	5.0 HOUR
ENGINE TYPE/MODEL	4-ST-7.0HP / UP170
LUBE OIL / VOLUME	SAE 10W-30 / 0.6 ltr
PLUG TYPE	F6TC
STARTER	RECOIL
WEIGHT	30.0 KG

NEW PETROL GENSETS series

NEXT

UPDATED 0422

QUASA
POWERING CHANGE

1000W PETROL GENSET

RRP : RM.00

UPG-4000H	005264000
RATED OUTPUT	3.2KW
MAX OUTPUT	3.5KW
POWER FACTOR	1.0
FUEL TANK	15.0 ltr
WORK HOUR	10.0 HOUR
ENGINE TYPE/MODEL	4-ST / HL-255
PLUG TYPE	A7RTC
NOISE LEVEL	96dBA
LUBE TYPE / OIL	SAE5W-30 / 0.6 ltr
STARTER	RECOIL
WEIGHT	47.0 KG



4000W PETROL GENSET

RRP : RM1,590.00



5000W PETROL GENSET

RRP : RM1,790.00

UPG-6000H	00526600B
RATED OUTPUT	5.0KW
MAX OUTPUT	5.5KW
POWER FACTOR	1.0
FUEL TANK	25.0 ltr
WORK HOUR	12.0 HOUR
ENGINE TYPE/MODEL	4-ST / HL-420
PLUG TYPE	A7RTC
NOISE LEVEL	97dBA
LUBE TYPE / OIL	SAE5W-30 / 1.1 ltr
STARTER	RECOIL
WEIGHT	83.0 KG

UPDATED 0422

QUASA
POWERING CHANGE



5000W PETROL GENSET

RRP : RM2,490.00

UPG-6300H	005266000
RATED OUTPUT	5.0KW
MAX OUTPUT	5.5KW
POWER FACTOR	1.0
FUEL TANK	25.0 ltr
WORK HOUR	12.0 HOUR
ENGINE TYPE/MODEL	4-ST / HL-420
PLUG TYPE	A7RTC
NOISE LEVEL	97dBA
LUBE TYPE / OIL	SAE5W-30 / 1.1 ltr
STARTER	KEY / RECOIL
WEIGHT	95.0 KG

UPG-8300H	005268000
RATED OUTPUT	7.5KW
MAX OUTPUT	8.0KW
POWER FACTOR	1.0
FUEL TANK	25.0 ltr
WORK HOUR	12.0 HOUR
ENGINE TYPE/MODEL	4-ST / HL-460
PLUG TYPE	A7RTC
NOISE LEVEL	97dBA
LUBE TYPE / OIL	SAE5W-30 / 1.2 ltr
STARTER	KEY / RECOIL
WEIGHT	98.0 KG



8000W PETROL GENSET

RRP : RM2,990.00



160AMP PETROL WELDER

RRP : RM1,690.00

UPH-160AW	00526160A
RATED CURRENT (A)	160 Amp
POWER FACTOR	1.0
WELDING VOLT / SIZE	22-26/3.2mm(6013)
ENG TYPE / MODEL	4-ST / HL-225-7.5HP
DISPLACEMENT	223cc
FUEL TANK	10 ltr
CONSUMPTION	≤374g/kWh
LUBE OIL / VOLUME	SAE5W/30 / 0.6 ltr
CONTINUOUS USE	6 hr
STARTING SYSTEM	RECOIL
WEIGHT	30kg

UPDATED 0422

QUASA
POWERING CHANGE



PETROL WELDER GENSET

RRP : RM1,990.00

UPH-160HG	00526160W
RATED CURRENT (A)	140 Amp
POWER FACTOR	1.0
AC OUTPUT (MAX)	1000W
WELDING VOLT / SIZE	22-26/3.2mm(6013)
ENG TYPE / MODEL	4-ST / HL-225-7.5HP
DISPLACEMENT	223cc
FUEL TANK	10 ltr
CONSUMPTION	≤374g/kWh
LUBE OIL / VOLUME	SAE5W/30 / 0.6 ltr
CONTINUOUS USE	6 hr
STARTING SYSTEM	RECOIL
WEIGHT	32kg

UPDATED 0422

JLG-9500E (005269500)

8.5kW MAX PETROL GENERATOR (WITH KEY START)



- **ROBUST FOR OUTDOOR USE - ESPECIALLY WITH WELDING INVERTERS;**
- **WORKING HOUR - UPTO 10 HOUR CONTINOUSLY ON A FULL 25 LITRE TANK;**
- **RATED 8000W, MAX 8500W;**
- **100% COPPER WIRED ALTERNATOR;**
- **3 x BS OUTPUT SOCKETS;**

SPECIFICATIONS :

GENERATOR		**ENGINE**	
Rated Output	8.0kW	**Engine Type**	JP194
Max Output	8.5kW	**Displacement**	500cc
Power Factor	1.00	**Max Output**	19.5HP/3600rpm
Fuel Type	90#Petrol	**Bore x Stroke**	94 x 72 mm
Fuel Tank/Work Hour	25.0 litre/10.0 hour	**Lube Oil**	SAE 5W/40
DC Output (V/A)	12.0/8.3	**Lube Volume**	1.1 Litre
Noise (7m)	93dBA	**Starter**	Recoil / Key
Current	240v/50Hz		
SET			
Net/Gross Weight	102/105kg	**Dimension**	697x545x562mm

RRP (RM)	**3,490.00**

UPDATED 0422

QUASA
POWERING CHANGE

BPG-110TS (0054710TS)

11.0kW MAX PETROL GENERATOR (WITH KEY START)



- ROBUST FOR OUTDOOR USE - ESPECIALLY WITH WELDING INVERTERS;
- WORKING HOUR - UPTO 6 HOUR CONTINOUSLY ON A FULL 40 LITRE TANK;
- RATED 10000W, MAX 11000W;
- 100% COPPER WIRED ALTERNATOR;
- 1 x 1PH INDUSTRIAL, 1 x BS & 1 x 3PH OUTPUT SOCKETS;

SPECIFICATIONS :

GENERATOR		ENGINE	
Rated Output	10.0kW	Engine Type	194F
Max Output	11.0kW	Displacement	500cc
Power Factor	1.00	Max Output	19.5HP/3600rpm
Fuel Type	90#Petrol	Bore x Stroke	94 x 72 mm
Fuel Tank / Work Hour	40.0 litre / 6.0 hour	Lube Oil	SAE 5W/40
Alternator	204 x 165mm	Lube Volume	1.1 Litre
Noise (7m)	93dBA	Starter	Recoil / Key
Current	415/240v/50Hz		
SET			
Net/Gross Weight	106/110kg	Dimension	mm

RRP (RM)	6,490.00

UPDATED 0422

QUASA
POWERING CHANGE

BEAUTY & POWER
CONVERGED

QUASA®
POWERING CHANGE

INVERTER~GENSETS SERIES



SMALL SIZE

EASY TO CARRY









INVERTER~GENSETS EMPLOY THE USAGE OF A MICRO PROCESSOR TO PRODUCE A CONSTANT ELECTRICAL FREQUENCY OR WAVE AND VOLTAGE THAT IS COMMONLY KNOWN AS THE "SINE~WAVE".

THIS MEANS IT CAN BE USED SAFELY WITH PRECISION EQUIPMENT LIKE A MICROWAVE OVEN, PCs AND APPLIANCES WITH MICROCOMPUTER FUNCTIONS.

UPDATED 0422

QUASA
POWERING CHANGE

KEY FEATURES

SINE~WAVE INVERTER GENSETS
MODERN DESIGN
FUEL SAVING
LOW-NOISE
COMPLETE WITH PARALLEL PORT**

APPLICATIONS



OUTDOOR CAMPAIGN



OUTDOOR PHOTOGRAPHY



OUTDOOR VIDEO



OUTDOOR CAMPER



FOODTRUCK OPERATION



SITE COMPUTER USE

UPDATED 0422

QUASA
POWERING CHANGE

PARALLEL OPERATION EXPLAINED

Both **Silent Inverter Generator** and **Open Frame Inverter Generator** can be paralleled together to increase the **OPERATIONAL POWER**.

However, there will be an **estimated 100-300W power loss** for the Parallel Operation, **e.g**:

(1.8kw)+(1.8kw) ≈ 3.4kw
(3.6kw)+(3.6kw) ≈ 7.0kw
(1.8kw)+(3.6kw) ≈ 5.2kw

PARALLEL ILLUSTRATION



NOTE : DO NOT connect **Normal Generator** or other brand **Similar Units**, avoid any damage or fire issue;



UIG-2000S	00512S200
RATED O/P	1.6kW
MAX O/P	1.8kW
RATED CURRENT	6.95A
RATED SPEED	4500rpm
AC O/P VOLTAGE	240V/1 PHASE
AC FREQUENCY	50Hz
DISPLACEMENT	79.0cc
FUEL TANK	4.2 litre
NOISE LEVEL (7m)	54-59 dBA
STARTER	MANUAL
DIMENSION	
G/N WEIGHT	24.0/22.0 KG
R.R.P. (RM)	1,980.00



BIG-R3000	00547R300
RATED O/P	2.2kW
MAX O/P	2.4kW
RATED CURRENT	A
RATED SPEED	4500rpm
AC O/P VOLTAGE	240V/1Ph/50Hz
DISPLACEMENT	97.0cc
FUEL TANK	4.0 litre
RUN TIME	5 hour
NOISE LEVEL (7m)	64 dBA @ 75%
STARTER	MANUAL
DIMENSION	500*295*490mm
G/N WEIGHT	22.5/20.5kg
**PARALLEL PORT	READY
PARALLEL CABLE	INCLUDED
R.R.P. (RM)	2,880.00

UPDATED 0422



BIG-R5000	005474500
RATED O/P	3.5kW
MAX O/P	4.0kW
RATED CURRENT	A
RATED SPEED	4500rpm
AC O/P VOLTAGE	240V/1Ph/50Hz
DISPLACEMENT	223.0cc
FUEL TANK	12.0 litre
RUN TIME	5 hour
NOISE LEVEL (7m)	64 dBA @ 75%
STARTER	MANUAL
DIMENSION	595*440*510mm
G/N WEIGHT	40.5/38.5kg
**PARALLEL PORT	READY
PARALLEL CABLE	INCLUDED
R.R.P. (RM)	3,680.00

** REMOTE / KEY / MANUAL START



BIG-E5000	00547450E
RATED O/P	3.5kW
MAX O/P	4.0kW
RATED CURRENT	A
RATED SPEED	4500rpm
AC O/P VOLTAGE	240V/1Ph/50Hz
DISPLACEMENT	223.0cc
FUEL TANK	12.0 litre
RUN TIME	5 hour
NOISE LEVEL (7m)	64 dBA @@ 75%
STARTER	REMOTE/KEY/MAN
DIMENSION	595*440*510mm
G/N WEIGHT	40.5/38.5kg
**PARALLEL PORT	READY
PARALLEL CABLE	INCLUDED
R.R.P. (RM)	3,980.00

UPDATED 0422

QUASA
POWERING CHANGE

PARALLEL BOX



BIG-IPABX	00547PABX
R.R.P. (RM)	380.00

UPDATED 0422

QUASA
POWERING CHANGE

DIESEL series

NEXT

UPDATED 0422



2” DIESEL HIGH P PUMP

RRP : RM2,190.00

SDP-0020H	00510P20H
SUCTION DIAMETER	2”
CON CAPACITY/HEAD	7m³/hr / 40.0m
SELF PRIME TIME	30s/4m
MAX HEAD	8m
ENGINE TYPE/MODEL	4-ST DIESEL / SU178
DISPLACEMENT	296cc
FUEL / LUBE VOL	3.5 / 1.1 ltr
STARTING SYSTEM	RECOIL
WEIGHT	52kg

SDP-0020L	00510P020
SUCTION DIAMETER	2”
CON CAPACITY/HEAD	22m³/hr / 15.0m
SELF PRIME TIME	70s/4m
MAX HEAD	8m
ENGINE TYPE/MODEL	4-ST DIESEL / SU170
DISPLACEMENT	211cc
FUEL / LUBE VOL	2.5 / 0.7 ltr
STARTING SYSTEM	RECOIL
WEIGHT	35kg



2” DIESEL PUMP

RRP : RM1,590.00



3” DIESEL PUMP

RRP : RM1,790.00

SDP-0030L	00510P030
SUCTION DIAMETER	2”
CON CAPACITY/HEAD	30m³/hr / 13.0m
SELF PRIME TIME	120s/4m
MAX HEAD	8m
ENGINE TYPE/MODEL	4-ST DIESEL / SU178
DISPLACEMENT	296cc
FUEL / LUBE VOL	3.5 / 1.1 ltr
STARTING SYSTEM	RECOIL
WEIGHT	52kg

UPDATED 0422

QUASA
POWERING CHANGE



SDP-E040L	00510P040
SUCTION DIAMETER	4”
CON CAPACITY/HEAD	64m³/hr / 16.0m
SELF PRIME TIME	180s/4m
MAX HEAD	8m
ENGINE TYPE/MODEL	4-ST DIESEL / SU186
DISPLACEMENT	406cc
FUEL / LUBE VOL	5.5 / 1.65 ltr
STARTING SYSTEM	RECOIL
WEIGHT	69kg

4” KEY ST DIESEL PUMP

RRP : RM3,190.00

SUE-0170F/P	00510170F/P
ENGINE TYPE	4-ST DIESEL
RATED / MAX O.PUT	3.8 / 4.2HP
DISPLACEMENT	211cc
FUEL / LUBE VOL	2.5 / 0.7 ltr
BORE STROKE	70 x 55mm
STARTING SYSTEM	RECOIL
WEIGHT	26kg



3.8HP DIESEL ENGINE

RRP : RM1,200.00



SUE-0178F/P	00510178F/P
ENGINE TYPE	4-ST DIESEL
RATED / MAX O.PUT	5.5 / 6.0HP
DISPLACEMENT	296cc
FUEL / LUBE VOL	3.5 / 1.1 ltr
BORE STROKE	78 x 62mm
STARTING SYSTEM	RECOIL
WEIGHT	33kg

5.5HP DIESEL ENGINE

RRP : RM1,300.00

UPDATED 0422

QUASA
POWERING CHANGE



SUE-0186F/P	00510186F/P
ENGINE TYPE	4-ST DIESEL
RATED / MAX O.PUT	8.5 / 9.5HP
DISPLACEMENT	406cc
FUEL / LUBE VOL	5.5 / 1.65 ltr
BORE STROKE	86 x 70mm
STARTING SYSTEM	RECOIL
WEIGHT	45kg

9.0HP DIESEL ENGINE

RRP : RM1,550.00

SUD-650EN	0053865EN
RATED OUTPUT	5.0KW
MAX OUTPUT	5.5KW
POWER FACTOR	0.8
FUEL TANK	12.5 ltr
WORK HOUR	10.0 HOUR
ENGINE TYPE/MODEL	4-ST / SU186FAG
NOISE LEVEL	
LUBE OIL	1.65 ltr
STARTER	KEY / RECOIL
WEIGHT	120.0 KG



5000W DIESEL GENSET

RRP : RM4,880.00



SUD-670TF	0053867TF
RATED OUTPUT	5.0KW
MAX OUTPUT	5.5KW
POWER FACTOR	0.8
FUEL TANK	15.0 ltr
WORK HOUR	12.0 HOUR
ENGINE TYPE/MODEL	4-ST / SU186FAG
NOISE LEVEL	
LUBE OIL	1.65 ltr
STARTER	KEY / RECOIL
WEIGHT	165.0 KG

5KW SILENT D'SEL GENSET

RRP : RM5,980.00

UPDATED 0422

QUASA
POWERING CHANGE



COMING NEXT

UPDATED 0422

SUD-65EWN (0053865DW)

180AMP DC WELDER GENERATOR



- **ROBUST & FOR USE WITH 6013~4.0mm ROD (MAX)**
- **WORKING HOUR - UPTO 4 HOUR CONTINOUSLY**
- **MOBILE FOR EASY MOVING**
- **TRUSTED BY MORE THAN 3500 PROFESSIONAL WELDERS IN MALAYSIA**

SPECIFICATIONS :

GENERATOR		**WELDER**	
Rated Output	2.0kW	**Max Current**	180 Amp DC
Rated Current	8.7	**Rated Current**	Amp
Max Power	5.5kW	**Welding Load**	60%
		Current Range	50-180 Amp
ENGINE		**ROD TYPE**	
Engine Type	SU186FACE (4st.air cool)	**6013**	1.5 ~ 4.0 mm
Fuel Type	0 Diesel		
Tank Capacity	16 litre	**UNIT**	
Lube Capacity	1.65 litre	**Gross Weight**	141.0 kg
Starter	Recoil & Key	**Dimension**	910 x 520 x 740mm

RRP (RM)	**5,980.00**

UPDATED 0422

QUASA
POWERING CHANGE

SUD-120T3 (0053812T3)

11Kva SILENT TYPE 3-PH DIESEL GENSET (KEY START)



- **ROBUST FOR OUTDOOR USE;**
- **UPTO 12 HOUR CONTINUOUS;**
- **RATED 11kVA, MAX 11.8Kva;**
- **MOBILE & CAN FIT INTO 4x4;**
- **PROBABLY THE ONLY 11kVA DIESEL GENSET @ THIS ECONOMICAL PRICE;**

SPECIFICATIONS :

GENERATOR		ENGINE	
Rated Output	11.0kVA	Engine Type	1105FGE
Max Output	11.8kVA	Fuel Type	Diesel
Power Factor	0.8	Lube Oil	
DC Current	12/8.3A	Lube Volume	2.2 litre
Fuel Tank		Starter	Recoil / Key
Work Hour	12.0 hour		
		SET	
		Gross Weight	280kg
		Dimension	1130 x 690 x 1150mm
		Noise (7m)	

RRP (RM)	12,900.00

UPDATED 0422

QUASA
POWERING CHANGE

SUD-120EW (0053812DW)

250AMP MMA WELDER 7000W GENERATOR



- **ROBUST & FOR USE WITH 7018~4.0mm ROD (MAX);**
- **WORKING HOUR - UPTO 4 HOUR CONTINOUSLY;**
- **LIGHTWEIGHT & EASY TO CARRY ON 4x4;**
- **SIMILAR WELDING CAPACITY UNIT SELLING FOR RM30K-70K;**

SPECIFICATIONS :

GENERATOR		WELDER	
Rated Output	6.5kW	Voltage w/out Loading	DC65V
Rated Current	28A	Working Voltage	25-30V
Max Power	7.0kW	Max Current	250 Amp
Rated Voltage	DC220/230v	Rated Current	220 Amp
		Welding Load	60%
		Current Range	60-250 Amp
ENGINE		ROD TYPE	
Engine Type	1105FGE (4 st.air cool)	6013	1.5 ~ 5.0 mm
Displacement	736cc	7018	1.5 ~ 4.0 mm
Fuel Type	0 Diesel		
Tank Capacity	15 litre	COMPLETE UNIT	
Lube Capacity	2.2litre	Gross Weight	220kg
Starter	Recoil & Key	Dimension	980 x 650 x 755mm

RRP (RM)	11,900.00

UPDATED 0422

QUASA
POWERING CHANGE



220A DIESEL WELDER GS

RRP : RM8,880.00

SUD-88EWN	0053888DW
RATED OUTPUT	5.0KW
MAX / CONT POWER	7.0 / 6.5 Kw/rpm
POWER FACTOR	0.8
FUEL TANK	16.0 ltr
WORK HOUR	8.0 HOUR
ENGINE TYPE/MODEL	4-ST / SU188FBGE
NOISE LEVEL	
WELDING DC / ROD	50-220A / 3.2(7018)
LUBE OIL	1.65 ltr
STARTER	KEY / RECOIL
WEIGHT	195.0 KG

SUD-98EWN	0051098DW
RATED OUTPUT	4.0KW
RATED CURRENT	9A / 8.7
RATED VOLTAGE	DC220/230V
FUEL TANK	15.0 ltr
WORK HOUR	8.0 HOUR
ENGINE TYPE/MODEL	4-ST / SU192FE
VOLT W / WO LOAD	70-75 / 25-30V
WELDING DC / ROD	50-250A / 4.0(7018)
LUBE OIL	1.65 ltr
STARTER	KEY / RECOIL
WEIGHT	200.0 KG



250A DIESEL WELDER GS

RRP : RM10,900.00



10000W PETROL GENSET

RRP : RM10,900.00

SUG-12EN1	0051012E1
RATED OUTPUT	9.0KW
MAX OUTPUT	10.0KW
POWER FACTOR	1.0
FUEL TANK	23.0 ltr
WORK HOUR	12.0 HOUR
ENGINE TYPE/MODEL	V2 4-ST / 2V78F-2
NOISE LEVEL	80dBA
LUBE OIL	1.4 ltr
STARTER	KEY / RECOIL
WEIGHT	185.0 KG

UPDATED 0422

QUASA
POWERING CHANGE



SUD-1PATS	005101ATS
FOR	
SUD-6700T	

ATS UNIT

RRP : RM790.00

SLT-4100L	LIGHT TOWER
TYPE OF LIGHTS	LED
NO. & POWER	4 x 100W
LIGHTS TILTING SYS	90° MANUAL OP
LIGHTS CAPACITY	2800W (7 x 100W)
MAST LIFTING SYS	VERTICAL MECH.
MAST SECTION	3 PARTS
HEIGHT OF MAST	5m (MAX)
BRAKE SYSTEM	MECH. BRAKE
WEIGHT	
SUD-3700T	3KVA GENSET
ENGINE	SU178FAG
MAX POWER	6HP
DISPLACEMENT	296cc
NO. OF CYLINDER	1
ENGINE TYPE	4-ST AIR COOLED
RATED POWER	2.8kW
FUEL TANK	12.5 litre
CONTINUOUS HOUR	12.0 HOUR
OUTPUT SOCKET	2
STARTER	KEY / RECOIL
WEIGHT	200.0 KG



LED LIGHT TOWER SET

RRP : RM10,900.00

UPDATED 0422

QUASA
POWERING CHANGE



TP-2T010	00524P210
TYPE	2T / 2-ST
SMOKE	LOW
LUBE / PETROL RATIO	1 : 50
ENGINE TYPE	2 STROKE
BASE OIL	PARAFFINIC SEMI-SYNTHETIC
CONTENT	1.0 litre
BEST FOR	CHAIN SAW/ OUTBOARD

1.0L PREMIUM 2T LUBE

RRP : RM25.00

GTC-2T010	00524C210
TYPE	2T / 2-ST
SMOKE	LOW
LUBE / PETROL RATIO	1 : 50
ENGINE TYPE	2 STROKE
BASE OIL	PARAFFINIC SEMI-SYNTHETIC
CONTENT	1.0 litre
BEST FOR	GRASS CUTTER/ 2T GENSET



1.0L CLASSIC 2T LUBE

RRP : RM18.00

IMPORTANT KNOWLEDGE FOR GENSETS USERS. PLEASE TAKE NOTE!

NEXT // SELEPAS INI

PENGETAHUAN PENTING UNTUK PENGUNA PENJANA. HARAP MAKLUM!

UPDATED 0422

QUASA
POWERING CHANGE

GENERATORS PERIODIC CHECK & SERVICE SCHEDULE

ITEM / INTERVALS	EVERY DAY	1st 20 HOUR	3rd MONTH OR EVERY 200 HOURS	6th MONTH OR 500 HOURS	EVERY YEAR OR 1000th HOURS
CHECK & REFUEL	O				
DRAIN OUT FUEL OIL		O			
CHECK & REFILL LUBRICANT	O				
CHECK FOR OIL LEAKAGE	O				
CHECK AND TIGHTEN FASTENING PARTS	O			● CYLINDER HEAD BOLT	
CHANGE ENGINE OIL		O 1st TIME	O 2nd TIME		
CLEAN ENGINE OIL FILTER				O CHANGE IF NECESSARY	
CHANGE AIR CLEANER ELEMENT	CHANGE MORE FREQUENTLY IF USED IN DUSTY AREA			O CHANGE	
CLEAN FUEL OIL FILTER				O	● CHANGE
CHECK FUEL INJECTION PUMP				●	
CHECK NOZZLE				●	
CHECK FUEL PIPE				● CHANGE IF NECESSARY	
ADJUST CLEARANCE OF INTAKE / EXHAUST VALVES		● 1st TIME		●	
GRIND INTAKE / EXHAUST VALVES					●
CHANGE PISTON RING					●
CHECK BATTERY WATER	EVERY MONTH				
CHECK CARBON BRUSH & SLIP RING				●	
CHECK INSULATION RESISTANCE	O	IF GENERATING SET HAS BEEN STORED FOR MORE THAN 10 DAYS			

O	INDICATES SPECIAL TOOLS REQUIRED.

UPDATED 0422

QUASA
POWERING CHANGE

GUIDE & ESTIMATION TO HOW MUCH POWER IS REQUIRED

HOUSEHOLD / DOMESTIC ITEMS	APPROXIMATE WATTAGE REQUIRED FOR STARTING	APPROXIMATE RUNNING WATTAGE REQUIRED
AIR CONDITIONER		
WINDOW UNIT, 10000 BTU	2200	1500
13500 BTU	2800	1800
AUTOMATIC CLOTHES WASHER	1200	1200
BOX / TABLE FAN	180	120
CLOTHES DRYER	6750	5400
COFFEE MAKER	600	600
DISHWASHER	540	216
ELECTRIC BLANKET	150	150
ELECTRIC FRY PAN	1500	1500
FURNACE FAN		
1/8 HP	500	300
1/6 HP	750	500
1/4 HP	1000	600
1/3 HP	1400	700
1/2 HP	2350	875
LIGHT BULBS	AS INDICATED ON LIGHT BULBS	
MICROWAVE OVEN		
650 WATTS	1200	1000
800 WATTS	1400	1300
1000 WATTS	1750	1500
HEATER UNITS	1300	1300
RADIO	50 TO 200	50 TO 200
FRIDGES / FREEZERS	1200	132-192
HOME PUMPS		
1/3 HP	1300	800
1/2 HP	2150	1050
TELEVISION	300	300
TOASTERS	1500	1500

CONTRACTOR ITEMS	APPROXIMATE WATTAGE REQUIRED FOR STARTING	APPROXIMATE RUNNING WATTAGE REQUIRED
AIR COMPRESSORS		
1/2 HP	1600	975
1 HP	4500	1600
BENCH GRINDERS	2500	1400
CIRCULAR SAW 7 1/4 INCH	2300	1400
CONCRETE VIBRATOR	AS INDICATED ON PRODUCT SPECIFICATION	
DEMOLITION HAMMER	1260	1260
DRILLS		
3/8 INCH, 4 AMPS	600	440
1/2 INCH, 5.4 AMPS	900	600
HAND DRILL 1/2 INCH	900	600
HIGH PRESSURE WASHERS 1HP	3600	1200
ROTARY HAMMER	1200	1200
TABLE SAW 10 INCH	4500	1800

ALWAYS CHECK YOUR EQUIPMENTS FOR ACTUAL WATTAGE AND CONSULT YOUR DEALER ON SELECTING THE MOST EFFICIENT MODEL FOR YOUR REQUIREMENTS

INDUSTRIAL MOTORS	APPROXIMATE WATTAGE REQUIRED FOR STARTING	APPROXIMATE RUNNING WATTAGE REQUIRED
CAPACITOR START CAPACITOR RUN		
1/8 HP	850	275
1/4 HP	1050	400
1/3 HP	1350	450
1/2 HP	1800	600
3/4 HP	2600	850
1 HP	3000	1000
1 1/2 HP	4200	1600
2 HP	5100	2000
3 HP	6800	3000
4 HP	9800	4800
CAPACITOR START INDUCTION RUN		
1/8 HP	600	275
1/4 HP	850	400
1/3 HP	975	450
1/2 HP	1300	600
3/4 HP	1900	850
1 HP	2300	1000
1 1/2 HP	3200	1600
2 HP	3900	2000
3 HP	5200	3000
4 HP	7500	4800
FAN 1/4 HP	1200	650
SPLIT PHASE		
1/8 HP	1200	275
1/4 HP	1700	400
1/3 HP	1950	450
1/2 HP	2600	600

FARM EQUIPMENTS	APPROXIMATE WATTAGE REQUIRED FOR STARTING	APPROXIMATE RUNNING WATTAGE REQUIRED
BATTERY CHARGER		
15 AMP	380	380
60 AMP WITH 250 AMP BOOST	1500/5750	1500/5750
100 AMP WITH 300 AMP BOOST	2400/7800	2400/7800
ELECTRIC FENCE, 25 MILES	250	250
ELECTRIC WELDER		
200 AMP AC	9000	9000
230 AMP AC, at 100 AMP	7800	7800
MILK COOLER	1800	1100
MILKER (VACUUM PUMP) 2 HP	2300	1000
PORTABLE HEATER		
50000 BTU	600	400
90000 BTU	725	500
150000 BTU	1000	625
150000 BTU	1000	625

OFFICE EQUIPEMENTS	APPROXIMATE WATTAGE REQUIRED FOR STARTING	APPROXIMATE RUNNING WATTAGE REQUIRED
DESKTOP COMPUTERS	600 TO 800	600 TO 800
FAX	600 TO 800	600 TO 800
LAPTOP COMPUTERS	200 TO 250	200 TO 250
MONITOR		
CRT	200 TO 250	200 TO 250
LCD	30	30
PRINTERS	400 TO 600	400 TO 600

UPDATED 0422

QUASA
POWERING CHANGE

WELDING
EQUIPMENTS



MESIN-MESIN
KIMPALAN

UPDATED 0422

QUASA
POWERING CHANGE



120A MMA IGBT INVERTER

RRP : RM.00

MMA-13120	006193120
RATED INPUT	3.5Kw
OUTPUT RANGE	10-120A
RATED OUTPUT	24.8V
DUTY CYCLE (40°/25°)	35% / 80%
POWER FACTOR	0.7
NO LOAD VOLT	60
INSULATION	F
PROTECTION	IP215
EFFICIENCY	85%
ELECTRODE	1.6-2.6mm
WEIGHT	3.2kg

MMA-11180	006191180
RATED INPUT	4.6Kw
OUTPUT RANGE	10-150A
RATED OUTPUT	26.0V
DUTY CYCLE (40°/25°)	60% / 100%
POWER FACTOR	0.7
NO LOAD VOLT	65
INSULATION	F
PROTECTION	IP215
EFFICIENCY	85%
ELECTRODE	1.6-4.0mm
WEIGHT	4.7kg



180A MMA IGBT INVERTER

RRP : RM690.00



200A MMA IGBT INVERTER

RRP : RM890.00

MMA-11200	006191200
RATED INPUT	5.4Kw
OUTPUT RANGE	10-170A
RATED OUTPUT	26.8V
DUTY CYCLE (40°/25°)	60% / 100%
POWER FACTOR	0.7
NO LOAD VOLT	68
INSULATION	F
PROTECTION	IP215
EFFICIENCY	85%
ELECTRODE	1.6-4.0mm
WEIGHT	5.2kg

UPDATED 0422

QUASA
POWERING CHANGE



MMA-D160I	00619D160
RATED INPUT	4.2Kw
OUTPUT RANGE	10-160A
RATED OUTPUT	25.8V
DUTY CYCLE (40°/25°)	20% / 35%
POWER FACTOR	0.85
RATED INPUT AC	23A
INSULATION	F
PROTECTION	IP215
EFFICIENCY	85%
ELECTRODE	1.6-3.2mm
WEIGHT	3.9kg

160A MMA IGBT INVERTER

RRP : RM330.00

MMA-S180I	00619S180
RATED INPUT	5.1Kw
OUTPUT RANGE	10-180A
RATED OUTPUT	26.6V
DUTY CYCLE (40°/25°)	30% / 60%
POWER FACTOR	0.85
RATED INPUT AC	32A
INSULATION	F
PROTECTION	IP215
EFFICIENCY	85%
ELECTRODE	1.6-4.0mm
WEIGHT	4.7kg



180A MMA IGBT INVERTER

RRP : RM430.00



MMA-P250I	00619P250
RATED INPUT	7.6Kw
OUTPUT RANGE	10-220A
RATED OUTPUT	28.6V
DUTY CYCLE (40°/25°)	60% / 80%
POWER FACTOR	0.85
RATED INPUT AC	45A
INSULATION	F
PROTECTION	IP215
EFFICIENCY	85%
ELECTRODE	1.6-5.0mm
WEIGHT	7.3kg

250A MMA IGBT INVERTER

RRP : RM990.00

UPDATED 0422

QUASA
POWERING CHANGE



180/160A MMA/MIG INV

RRP : RM930.00

MIG-7160I	00619M160
RATED INPUT	4.8KW
MIG / MMA RANGE	20-160A / 10-140A
MIG OUTPUT VOLT	11-21V
DUTY CYCLE (40°/25°)	40% / 40%
POWER FACTOR	0.85
RATED INPUT AC	26.0A
FEEDING SPEED	1.5-16m/min
MMA-TIG ELECTRODE	1.6-4.0 / 0.6-1.0mm
EFFICIENCY	85%
INSUL / PROTECTION	F / IP215
WEIGHT	11.5kg

MIG-7220I	00619M220
RATED INPUT	5.3KW
MIG / MMA RANGE	20-200A / 10-200A
MIG OUTPUT VOLT	15-24V
DUTY CYCLE (40°/25°)	40% / 40%
POWER FACTOR	0.7
RATED INPUT AC	36.0A
FEEDING SPEED	1.5-21m/min
MMA-TIG ELECTRODE	1.6-5.0 / 0.6-1.2mm
EFFICIENCY	85%
INSUL / PROTECTION	F / IP215
WEIGHT	11.8kg



220/180A MMA/MIG INV

RRP : RM1,290.00



200/180A MMA/TIG INV

RRP : RM950.00

TIG-2180M	00619T180
RATED INPUT	7.6KW
TIG / MMA RANGE	20-180A / 20-160A
TIG OUTPUT VOLT	27.2V
DUTY CYCLE (40°/25°)	40% / 60%
POWER FACTOR	0.85
MMA OUTPUT VOLT	26.8V
RATED INPUT AC	16.5A
FEEDING SPEED	1.5-16m/min
MMA-TIG ELECTRODE	1.6-4.0 / 1.6-3.2 mm
EFFICIENCY	85%
INSUL / PROTECTION	F / IP215
WEIGHT	8.2kg

UPDATED 0422

QUASA
POWERING CHANGE



PRO SERIES CUT INVERTER

RRP : RM1,150.00

CUT-CT40M	00619C40M
RATED INPUT	6.6Kw
NO LOAD VOLT	224V
OUTPUT RANGE	20-40A
DUTY CYCLE	60%
POWER FACTOR	96V
RATED OUTPUT VOLT	30A
INSULATION	F
PROTECTION	IP215
BURNER INNER DIA	1.0mm
THICKNESS	1-12mm
COMPRESSOR	70psi (4-5bar)
WEIGHT	7.3kg

UPDATED 0422

QUASA
POWERING CHANGE

AGRICULTURE MACHINERIES & ACCESSORIES

MESIN-MESIN PERTANIAN & AKSESORI

UPDATED 0422

QUASA
POWERING CHANGE



T-SERIES BRUSH CUTTER

RRP : RM390.00

YST-T0328	00715T328
ENGINE TYPE	2-T PETROL
DISPLACEMENT	33cc
HP	1.7PS / 6500rpm
CARBURETOR	FLOAT TYPE
IGNITION	ELECTRONIC
PLUG	NGK / CHAMPION
FUEL MIX	50 : 1
FUEL TANK	1.5 litre
ENGINE WEIGHT	6kg
SHAFT WEIGHT	3.5kg

YSM-TL033	00715TL33
ENGINE TYPE	2-T PETROL
DISPLACEMENT	33cc
HP	1.7PS / 6500rpm
CARBURETOR	FLOAT TYPE
IGNITION	ELECTRONIC
PLUG	NGK / CHAMPION
FUEL MIX	50 : 1
FUEL TANK	1.5 litre
ENGINE WEIGHT	6kg
SHAFT WEIGHT	3.5kg



M-SERIES BRUSH CUTTER

RRP : RM490.00



1LB STRIP NYLON STRING

RRP : RM.00

YNS-SS010	00715S010
TYPE	STRIP
DIA / THICKNESS	0.095" (2.4mm)
CONTENT	1LB
BEST FOR	CONTRACT USE
PACKING	PLASTIC

UPDATED 0422

QUASA
POWERING CHANGE



YNS-RS010	00715R010
TYPE	ROLL
DIA / THICKNESS	0.095" (2.4mm)
CONTENT	1LB
BEST FOR	CONTRACT USE
PACKING	PLASTIC

1LB ROLL NYLON STRING

RRP : RM.00

YNS-RS005	00715R005
TYPE	ROLL
DIA / THICKNESS	0.095" (2.4mm)
CONTENT	½ LB
BEST FOR	CONTRACT USE
PACKING	PLASTIC



½ LB ROLL NYLON STRING

RRP : RM.00



YNS-RS050	00715R050
TYPE	STRIP
DIA / THICKNESS	0.095" (2.4mm)
CONTENT	5LB
BEST FOR	CONTRACT USE
PACKING	PLASTIC

5LB ROLL NYLON STRING

RRP : RM.00

UPDATED 0422

QUASA
POWERING CHANGE

LAWN & GARDEN AND ACCESSORIES

MESIN² RUMPUN DAN TAMAN & AKSESORI

UPDATED 0422

QUASA
POWERING CHANGE



26CC 14” CHAIN SAW

RRP : RM490.00

SPS-2614R	010032614
ENGINE TYPE	2-T PETROL
DISPLACEMENT	25.77cc
POWER	900W
FUEL / LUBE TANK	0.23 / 0.16 ltr
PITCH	3/8”
GAUGE	0.050”
BAR SIZE	QUASA 14”
CHAIN SIZE	QUASA 14”
TORQUE	1Nm
CARBURETOR	CHINA MADE
STARTING	RECOIL
WEIGHT	2.9kg

SPS-4016E	010034016
ENGINE TYPE	2-T PETROL
DISPLACEMENT	40.00cc
POWER	1450W
FUEL / LUBE TANK	0.28 / 0.25 ltr
PITCH	3/8”
GAUGE	0.050”
BAR SIZE	QUASA 16”
CHAIN SIZE	QUASA 16”
TORQUE	1.7Nm
CARBURETOR	WALBRO
STARTING	RECOIL/EASYSTART
WEIGHT	5.0kg



40CC 16” CHAIN SAW

RRP : RM590.00



46CC 18” CHAIN SAW

RRP : RM650.00

SPS-4618E	010034618
ENGINE TYPE	2-T PETROL
DISPLACEMENT	46.00cc
POWER	1800W
FUEL / LUBE TANK	0.55 / 0.25 ltr
PITCH	3/8”
GAUGE	0.058”
BAR SIZE	QUASA 18”
CHAIN SIZE	QUASA 18”
TORQUE	2.2Nm
CARBURETOR	WALBRO
STARTING	RECOIL/EASYSTART
WEIGHT	5.0kg

UPDATED 0422

QUASA
POWERING CHANGE



SPS-5220E	010035220
ENGINE TYPE	2-T PETROL
DISPLACEMENT	51.2cc
POWER	2400W
FUEL / LUBE TANK	0.52 / 0.26 ltr
PITCH	3/8”
GAUGE	0.050”
BAR SIZE	QUASA 20”
CHAIN SIZE	QUASA 20”
TORQUE	2.7Nm
CARBURETOR	WALBRO
STARTING	RECOIL/EASYSTART
WEIGHT	5.1kg

51.2CC 20” CHAIN SAW

RRP : RM750.00

LGC-1452M	010201452
LENGTH	14”
LINKS	52
PITCH	3/8”
GAUGE	0.050”



14” SAW CHAIN

RRP : RM.00



LGC-1557M	010201657
LENGTH	16”
LINKS	57
PITCH	3/8”
GAUGE	0.050”

16” SAW CHAIN

RRP : RM.00

UPDATED 0422

QUASA
POWERING CHANGE



LGC-1868L	010201868
LENGTH	18”
LINKS	68
PITCH	3/8”
GAUGE	0.058”

18” SAW CHAIN

RRP : RM.00

LGC-1452M	010201452
LENGTH	20”
LINKS	72
PITCH	3/8”
GAUGE	0.058”



20” SAW CHAIN

RP : RM.00

NEW LAWN & GARDEN AND ACCESSORIES (NORMAL & PRO series)

NEXT

UPDATED 0422

BKS-M2512 (010272512)

25.4CC 12” CHAIN SAW



- AFFORDABLE “ONE-ARM” CHAINSAW;
- LIGHT & IDEAL FOR HOME USE;
- COMPLETE ACCESSORIES FOR IMMEDIATE USE;

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Displacement	25.4cc	Measurement	
Power	900W (1.2HP)	G.Weight/N.Weight	6kg
Chain Pitch	0.38 Small		
Bar Length	12”		
Oil Tank Capacity	160ml		
Fuel Tank Capacity	230ml	Accessories	

RRP (RM)	389.00

UPDATED 0422

BKS-D3814 (010273814)

37.2CC 14” CHAIN SAW (EASY START)



- AFFORDABLE SEMI-PRO CHAINSAW;
- EASY START FUNCTION;
- 2 HOUR CONTINUOUS USE;
- COMPLETE ACCESSORIES FOR IMMEDIATE USE

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Displacement	37.2cc	Measurement	
Power	1200W (1.6HP)	G.Weight/N.Weight	6m
Chain Pitch	0.38 Small		
Bar Length	14”		
Oil Tank Capacity	210ml		
Fuel Tank Capacity	310ml	Accessories	
Oil / Petrol Ratio	1 : 25		

RRP (RM)	429.00

UPDATED 0422

BKS-D4516 (010274516)

45.0CC 16” CHAIN SAW



- AFFORDABLE SEMI-PRO CHAINSAW;
- SELF-PRIMMING PUMP
- BUILT-IN THERMAL PROTECTORS
- 2 HOUR CONTINUOUS USE
- COMPLETE ACCESSORIES FOR IMMEDIATE USE

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Displacement	45.0cc	Measurement	
Power	1800W (2.5HP)	G.Weight/N.Weight	6m
Chain Pitch	0.325		
Bar Length	16”		
Oil Tank Capacity	260ml		
Fuel Tank Capacity	550ml	Accessories	
Oil / Petrol Ratio	1 : 25		

RRP (RM)	349.00

UPDATED 0422

BKS-D4518 (010274518)

45.0CC 18” CHAIN SAW



- AFFORDABLE SEMI-PRO CHAINSAW;
- 2 HOUR CONTINUOUS USE;
- COMPLETE ACCESSORIES FOR IMMEDIATE USE;

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Displacement	45.0cc	Measurement	
Power	1800W (2.5HP)	G.Weight/N.Weight	6m
Chain Pitch	0.325		
Bar Length	18”		
Oil Tank Capacity	260ml		
Fuel Tank Capacity	550ml	Accessories	
Oil / Petrol Ratio	1 : 25		

RRP (RM)	369.00

UPDATED 0422

BKS-D5220 (010275220)

52.0CC 20” CHAIN SAW



- AFFORDABLE SEMI-PRO CHAINSAW;
- 2 HOUR CONTINUOUS USE;
- COMPLETE ACCESSORIES FOR IMMEDIATE USE;

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Displacement	52.0cc	Measurement	
Power	2000W (2.7HP)	G.Weight/N.Weight	6m
Chain Pitch	0.325		
Bar Length	20”		
Oil Tank Capacity	260ml		
Fuel Tank Capacity	550ml	Accessories	
Oil / Petrol Ratio	1 : 25		

RRP (RM)	389.00

UPDATED 0422

BKS-D5222 (010275222)

52.0CC 22” CHAIN SAW



- **AFFORDABLE SEMI-PRO CHAIN SAW;**
- **2 HOUR CONTINUOUS USE;**
- **COMPLETE ACCESSORIES FOR IMMEDIATE USE**

SPECIFICATIONS :

DESCRIPTIONS		DESCRIPTIONS	
Displacement	52.0cc	Measurement	
Power	2000W (2.7HP)	G.Weight/N.Weight	6m
Chain Pitch	0.325		
Bar Length	22”		
Oil Tank Capacity	260ml		
Fuel Tank Capacity	550ml	Accessories	
Oil / Petrol Ratio	1 : 25		

RRP (RM)	399.00

UPDATED 0422

QUASA
POWERING CHANGE

QUASA CHAINSAWs

PRO-SERIES 18”, 20” & 22”

FEATURES

- 3 MODELS (PRO-SERIES)
- 4-HOUR USAGE
- WALBRO CARBURETTOR
- OREGON CHAIN
- EASY START FUNCTION



STOCK CODE	010274518	010275020	010275522
MODEL	BXY-4518X	BXY-5020X	BXY-5522X
DISPLACEMENT	45.02cc	49.3cc	54.6cc
RATED POWER	1.8Kw	2.0Kw	2.3Kw
FUEL TANK	550ml	550ml	550ml
LUBE TANK	260ml	260ml	260ml
IDLING SPEED	3000rpm	3000rpm	3000rpm
PETROL : 2T	25 : 1	25 : 1	25 : 1
CARBURETOR	WALBRO	WALBRO	WALBRO
GUIDE BAR	OREGON	OREGON	OREGON
CHAIN	OREGON 3/8”	OREGON 3/8”	OREGON 3/8”
G.W./N.W.	16.5/14.0 KG	16.5/14.0 KG	16.5/14.0 KG
MEASUREMENT	53.5x51x32CM	53.5x51x32CM	53.5x51x32CM
R.R.P. (RM)	539.00	569.00	599.00

UPDATED 0422

QUASA
POWERING CHANGE

GUIDE TO READING THIS CATALOG/PRICE LIST

- **PLEASE ALWAYS CALL OUR OFFICE TO CHECK ON THE LATEST PRICE AS THIS CATALOG IS UPDATED EVERY QUARTERLY;**

- **PLEASE ALSO NOTE THAT THE PRICING IN THIS CATALOG IS SOLELY FOR PENINSULAR MALAYSIA, THERE MAY BE FREIGHT & FORWARDING CHARGES ADDED TO SABAH & SARAWAK;**

- **PLEASE ALSO ALWAYS CHECK ON THE STOCK AVAILABILITY AS YOU MAY BE AWARE THAT THERE ARE TOO MANY ITEMS IN THE CATALOG AND AT TIMES MAY BE OUT OF STOCK;**

- **IF YOU WISH TO HAVE A SOFTCOPY OF THIS CATALOG, YOU CAN ALWAYS LEAVE YOUR HANDPHONE NUMBER WITH OUR OFFICE @ 03-33421212 AND WE WILL SEND TO YOUR HANDPHONE NUMBER;**

- **IF YOU WISH TO CHECK STOCK ON ANY LOCATION IN MALAYSIA, PLEASE DO THE SAME AS ABOVE WITH ENCLOSED LOCATION AND WE WILL GUIDE YOU TO AN AGENT NEAREST TO YOUR LOCATION;**

THANK YOU FOR YOUR CONTINUED SUPPORT !!